



Jasopels



3	Presentation	30	Article with Szymon Musiał & Grzegorz Musiał	59	Sawdust
4	Wire	31	Jasopels Drums	60	Article with Kozfur Sp. z o.o.
6	Breeding boxes	32	Article with Henning and Allan Christensen	61	Jasopels WRAP Machine T5 Maxi Stretch
8	Mountings, fittings and Hogrings	38	Article with Szymon Musiał & Grzegorz Musiał	63	Article with Kozfur Sp. z o.o.
11	Water equipment	39	Jasopels Slicing Machine T4 XL	64	Jasopels Maxi Trolley
12	Mink Sheds	40	Spare parts for Slicing Machines	65	Easy Off Boards
16	Steel consoles	41	Training	66	Article with Tommy Hangaard
17	Manure systems	42	Jasopels Skinning Machine T11	67	Jasopels Cleaning Automat T5
18	Article with Kristen Have Meldgaard	46	Article with Norpol Sp. z. o.	69	Jasopels Q-VEX
19	FarmManager	47	Jasopels Pelting Robot XXL	70	Jasopels Soft Brush
20	Article with Jacob Bjerregaard	49	Jasopels MaxiHook T5	71	Jasopels Quick Softer 4M Automatic
21	Website	50	Jasopels Flething Machine T6	72	Compressors
22	Jasopels Feeding Machines	52	Article with Jens Bukholt	73	Farm articles
24	Spare parts for feeding machines	53	Jasopels Flething Machine T4 XL	75	Gloves
25	Article with Jack and Lars Kristensen	54	Article with Tomasz Lelas and Hubert Kozlowski	76	Theme day in Herning
27	Feed Silos and Gas One	56	Jasopels Impellers	77	Terms and conditions
28	Jasopels Trolley and Gas box	58	Spare parts for Flething Machine	78	World Wide Agents
29	Article with Pelting Center Sydvestjydsk in Varde	59	Sharpening of impellers	79	Contacts



THANKS FOR YOUR HELP

At Jasopels we have experienced that we have more and more happy and satisfied customers. This happens, to a large extent, thanks to our customers. For it is in fact through meetings and dialogue with mink breeders that we are able to perfect our products. We will probably never be fully finished with perfecting the spheres of our operation, but we will always be doing our best to do so.

Improved service

Within the past year, we have worked to move the service of our machines to late summer, so already in August and September we are getting them ready for high season. We reward that with lower hourly rates - and at the same time in high season we can act faster.

More volume

We have in the last season felt a strong demand for Jasopels Body Drum XL, which doubles the customer's capacity and can accommodate up to 450 mixed animals or 300 males with an emptying time of under two minutes. We have also increased the capacity of the largest feeding machine with more engine power and boogie wheels, which now holds 2,000 liters of feed. It is comfortable to operate and allows a fast and efficient feeding.

Safety and quality

Farm Manager helps mink farmers every day with its intelligent control system. The feedback from customers is that both small and large farms will, among other things, get more uniform mink, better weight control and less feed waste. It provides more security, freedom and higher quality in the daily work.

The work in a mink farm can always be done just a little better and more cleverly. This means that both we and mink breeders will always be pushing the bar in order to get the best mink skins.

Enjoy the catalog!

Poul A. Bach



CrapalPremium®

Sold only by Jasopels.

CrapalPremium® is ArcelorMittal WireSolutions' patented zink+aluminium+magnesium alloy.

This extra anti-rust alloy is especially designed for users who have high expectations regarding the product's lifespan. This alloy is guaranteed to have a lifespan that is 8 times longer than

of similar heavily galvanized products exposed to the same conditions.

CrapalPremium® is an anti-rust alloy that consists of 95% zinc and 5% aluminium as well as a controlled content of magnesium. CrapalPremium® can also be delivered in plasticized coils and panels.

JASOPELS – WHEN TOP QUALITY MUST BE AT THE RIGHT PRICE!

CAGES



Item no.	Product description	Price
2021-062716	Top part of double cage, 6 compartments, stainless, ass., incl. front door	*
2011-062716	Top part of double cage, 6 compartments 27", ass., incl. front door	*
2031-06271636	Double cage, 36" + 27", ass. with stainless bottom wire, bent 9"	*
2031-069012	Double cage, 36" + 27", ass. with stainless bottom wire, bent 9", 2.45 mm	*
2021-06271636	Double cage, ass., 36" + 27" stainless bottom wire bent 9", complete stainless	*
2031-069018	Cage, ass., 6/90 cm, Maxi top wire stainless bottom wire, bent 9"	*
2031-069019	Cage, ass., 6/90 cm, Maxi top wire stainless bottom wire, bent 9", 2.45 mm	*
2031-0690192	Cage, ass., 6/90 cm, 3/4" X1" stainless bottom, bent 9", 2.45 mm, stainless feeding wire	*
2011-069018	Cage, ass., 6/90 cm combi, with Maxi Crapal Premium	*
2021-0690121	Cage, ass., 6/90 cm, 3/4" X1", stainless 2x bottom wire, bent, complete stainless, 2.45 mm	*
2030-0690192	Cage, unass., 36" + 27" with stainless bottom wire, bent 9", 2.45 mm	*
2010-06271636	Cage, unass., 36" + 27" with stainless bottom wire, bent 9".	*
2030-0690162	Cage, unass., 6/90 cm, combi top wire stainless bottom wire, bent 9", 2.45 mm	*
2030-069017	Cage, unass., 6/90 cm, combi top wire stainless bottom wire, bent 9".	*
2011-0575164	Cage, 5/75 cm, Jump-up model 2002 incl. breeding box of birch plywood.	*

DOORS

Item no.	Product description	Price
2018-112111609	Cage door for 6 rooms, 12" x 11", combi	*
2018-112111608	Cage door for 6 rooms, 12" x 11", 1/2" x 1"	*
2018-112111616	Cage door for 6 rooms, 12" x 11", 1" x 1"	*
2018-112121609	Cage door for 6 rooms, 12" x 12", combi	*
2018-409121608	Bottom door, 9" x 12", 1/2" x 1", with frame/hinges	*
2018-409123	Bottom door, 9" x 12", 1" x 1", without hinges	*
2018-509120160	Locking spring, ass., 9" x 12", 1" x 1"	*




WIRE PANELS

Item no.	Product description	Price
2015-77301624	Bottom wire, combi, 1" x 1" x 1,5" x 30", 76 cm	*
2015-77361624	Bottom wire, combi, 1" x 1" x 1,5" x 36", 91 cm	*
2015-77181616	Rear wire, 1" x 1", 18" x 77", Ø 2,00	*
2015-770916122	Feeding wire, 3/4" x 1", 9" x 77"	*
2015-770816162	Feeding wire, 1" x 1", 8" x 77"	*
2015-770816164	Feeding wire, 1" x 1", 8" x 77"	*
2015-770916164	Feeding wire, 1" x 1", 9" x 77"	*
2013-731801	Partition walls, 18" x 55", 70 cm, unass., Crapal Premium	*
2013-731801	Partition walls, 18" x 73", 90 cm, ass., Crapal Premium	*
2013-731800	Partition walls, 18" x 73", 90 cm, unass., Crapal Premium	*
2025-77452426	Bottom panel, stainless, 9 x 1" + 17" x 1,5" + 1 x 2", Ø 2,45	*
2025-77451224	Bottom panel, stainless, 12 x 3/4" + 17 x 1,5" + 1 x 2", Ø 2,00	*
2025-77452424	Bottom panel, stainless, 9 x 1" + 17 x 1,5" + 1 x 2", Ø 2,00	*
2025-77452425	Bottom panel, stainless, 23 x 1,5" + 1 x 2", Ø 2,45	*



PUPPY NET CRAPALPREMIUM®

Item no.	Product description	Price
2015-3611510	1 Puppy net, 90 cm, plastic without frame 11,5"x36" = 29 cm x 91 cm	*
2015-3611511	2 Puppy net, 90 cm, plastic with frame 11,5"x36" = 29 cm x 91 cm	*
2035-0690	Frame for puppy net, 90 cm	*



NEW

“NO MORE SORE FINGERS”

Newly developed closing mechanisms for nesting boxes.

Jasopels team tries every day to find new solutions to make every-day work easy for you and your employees.

Here is one of the new products that is certainly a pleasure to have on your farm.

It can be used in virtually all models, also when you want to replace your old type lids.


Order a sample from your sales representative.



PATENT PENDING



BREEDING BOXES



Jasopels Breeding Boxes are made using CNC machinery, which gives an accuracy of 1/10 mm on all boxes.

It is a priority for us to keep developing products that are durable and highly functional, which is why we are able to offer you the most attractive breeding box on the market. Our breeding boxes are made of 11 layers of hard-pressed birch plywood.

A unique groove in the rear panel for the locking spring, which ensures a pleasant and easy open/close function. Thanks to the tapered grooves in the panels, the countersunk holes have no annoying edges. All mountings are of stainless steel, so the quality is perfect.

We have a very strong standard program regarding deliveries of many types of breeding boxes at attractive prices.

- **All holes are pre-drilled to ensure correct mounting of fittings**
- **All partition walls are pre-drilled to ensure correct assembly of boxes**
- **Unique grooves in the rear panels eliminate the need to install locks**
- **120 mm hole in the front panel.**

BIRCH PLYWOOD / DUTCH TYPE BREEDING BOXES

Item no.	Product description	Price
2121-010609	Breeding box, 6 compartments, ass, 11 x 12". Special f/double cage	*
2121-210600	Breeding box, 6 compartments, ass, 9 x 12". With plastic nest & cover, without shutter	*
2121-210610	Breeding box, 6 compartments, ass, 9 x 12". With plastic nest, cover & shutter	*
2111-210600	Breeding box, 6 compartments, Dutch type ass. With cover, plastic nest, without shutter	*
2121-210601	Breeding box, 6 compartments, ass, 9 x 12". With cover, plastic nest, 3/4" X1", stainless, without shutter	*
2121-210610	Breeding box, 6 compartments, ass, 9 x 12". With cover, plastic nest, 3/4" X1", stainless, with shutter	*
1261-13301	Transport box - 5 animal	*
1261-13302	Transport box - 4 animal	*



NEW

**Flight Boxes**

When the animals have to be moved, by plane, you may use our new transport boxes.

4 animal and 5 animal boxes are available.



Item no.	Product description	Price
2115-1310	1 Angle hinge 65 x 65 x 11 mm	0,30
2115-1300	2 Angle hinge 110 mm x 20 mm 2,04 mm	0,35
2115-1000	3 Locking plate for breeding box	0,20
2115-1100	4 Metal whirl	0,20
2115-1210	5 Cage hook for breeding box, stainless	0,30
1232-01151	6 Band for breeding box, 14 cm x 50 m.	*
1232-01175	7 Manual band rewriter	*
2215-1135015	8 Torx screws for front doors 3,5 x 15, 200 pcs.	26,40
2115-1595	9 Shutter/bulkhead rail, stainless	0,30
2115-1700	10 Shutter/bulkhead, galvanized, for 12 cm hole	1,75
2115-1720	11 Shutter, "fork model"	12,85
2115-200120	12 Alu. plate, hole in the middle	1,95
2115-200100	13 Alu. plate, hole on the side	1,95
2115-2000	14 Spring for cage door, stainless	0,25
2116-000128	15 Cage hook, 12,8 cm	0,60
2116-000950	16 Cage hook, 95 cm	0,85
2210-150005	17 Cage card holder, Morsø, plastic, with screw	0,20
2210-150001	18 Cage card holder, stainless, short, without screw	0,25
2210-150002	19 Cage card holder, stainless, long, without screw	0,30
2210-150006	20 Cage card holder, Morsø, plastic, double, multi	0,25
2210-150010	21 Cage card holder, stainless, double, BK model	3,75
2012-1080	22 Loose hognings 1/2" aluminium/zinc	10,15
2012-1060	Loose hognings 3/8" Crapal alu/zink	10,15
2022-1080	Loose hognings 1/2" stainless, approx. 1100 pcs./kg	16,25
2022-1060	Loose hognings 3/8" stainless, approx. 1100 pcs./kg	16,25
2012-20602	23 C-rings 3/8" aluminium/zinc magazine 15.680 pcs.	100,00
2022-20602	C-rings 3/8" stainless, magazine 15.680 pcs.	190,00
2012-20816	24 A-16 rings alu magazine 1.000 pcs.	10,20
2022-20816	A-16 rings stainless magazine	37,16




PLIERS/TONGS

Item no.	Product description	Price
1260-10021	1 Pliers/tong, Swedish	45,00
1260-10022	2 Pliers/tong, with magazine, Ottensten	62,85
1260-100030	3 Jasopels C-ring pistol	675,00
1260-10055	4 Cutter, pneumatic, MR-20	337,00
1260-100553	Cutter, pneumatic, MR-30 A, Large	370,00
1260-100554	Jaws for MR-30 A P8P, Large	82,50
1260-100551	5 Jaws for MR-20, P6	82,43
1260-10050	6 Wire cutter, electric, Bosch	470,00



TOYS/SHELVES

Item no.	Product description	Price
1261-15504	1 Tube GVA R120 x 155 x 5 mm	0,80
1261-155050	2 Tube, Ø40 mm GM	0,40
1261-155065	3 Tube Ø 120 x 400 5 mm	1,60
2016-121416160	4 Shelf for cage 12 x 14" rolled	1,28
2016-080916080	5 Shelf for V- model 11x11" bent	0,87
1261-14003	6 Uniq screen, 16 mm	3,30
1261-14006	7 Screen module, NF, plastic, black	1,45



NESTS

Item no.	Product description	Price
2018-609121170	1 Nest, plastic, 9" x 12", with lid	*
2018-609120170	2 Nest, plastic, 9" x 12", without lid	*
2018-609121370	3 Nest, 9" x 12", with stainless lid, 1" x 3/4"	*
2018-610121170	4 Nest, plastic, 10" x 12", with Crapal lid	*
2018-611121170	5 Nest, plastic, 11" x 12", with lid	*
2016-091216081	6 Plastic nest bottom, 9" x 12", 1/2" x 1"	*
2018-509121160	7 Locking spring, 9" x 12", 1"x1"	*





CRAPAL[®] PREMIUM

Zinc + Aluminium + Magnesium alloy
for active and long term corrosion protection

- ✓ Guaranteed quality
- ✓ Guaranteed environmental friendliness
- ✓ Guaranteed economical advantages
- ✓ Guaranteed prolonged lifespan



Jasopels A/S Fabrikvej 19 DK-7441 Bording
98420566 www.jasopels.com



ArcelorMittal

birgit.lang@arcelormittal.com
www.arcelormittal.com/wiresolutions

WATER EQUIPMENT

Item no.	Product description	Price
1220-05000	1 Drinking valve, biting, Gjøl, green	0,75
1220-05010	2 Drinking valve, biting, thermo, Gjøl, green	0,95
1220-03101	3 Valve, biting, stainless, white, Columbus	0,70
1220-03102	4 Valve, biting, stainless, black, Columbus	0,80
1220-02103	5 Valve, biting, ØKO, incl. steel holder, Morsø	0,80
1220-01250	6 Gasket for valve	0,08
1220-01201	7 Valve holder, single	0,11
1220-01202	Retaining spring til valve, Double	0,11
1220-01203	Retaining spring til Forelco Thermoslange	0,25
1220-02201	8 Metal holder for Morsø valves	0,25
1220-09207	9 Metal holder for drinking valve, stainless	0,25
1220-03201	10 Holder for Columbus and Gjøl valves	0,10
1221-01106	11 Connector, black, 3/4", with inner gasket	2,05
1221-01103	12 Connector, RG, 3/4", for PEL hose	5,55
1221-01102	13 Connector, 3/4", for PEL hose	1,55
1221-01105	14 Hose connection without screw cap, 3/4", for pipe	3,40
1221-01104	15 Hose connection with screw cap, 3/4", for pipe	3,40
1221-02201	16 Angle, RG, 3/4", for PEL hose	7,10
1221-02202	17 Angle 3/4" with screw cap	3,40
1221-02203	18 Angle 3/4" without screw cap	3,40
1221-02200	19 Angle, 3/4", for PEL hose	1,50
1221-02151	20 T-pipe, 3/4", for PEL hose	1,80
1221-01150	21 T-piece, RG, 3/4", for PEL hose	10,50
1221-02250	22 Screw cap, RG, foe PEL hose	3,90
1221-02325	23 Plastic tap, 3/4", for PEL hose	13,40
1222-01101	24 Reducing valve, RG, without manometer	111,50
1222-011010	25 Manometer for reducing valve	12,85
1222-011011	26 Repair kit for RG reducing valve	53,40
1222-01250	27 Draining	0,60
1222-01251	28 Draining for drinking valve, Morsø	0,60
1222-01300	29 Drinking cup, Berima, double	0,90
1221-01128	30 Thermopipe, Gjøl, 6 rooms, 206 cm, incl. green valves	15,55
1221-01101	31 PEL hose, 3/4", 100 m	85,00
1221-02327	32 Loop, complete	13,10
5056-00176	33 Clamp 3/4, 22-32	2,70



A mink shed is a part of a mink breeder's production facilities. Therefore, Jasopels' main premise says:

The PRODUCTION should take place in the sheds. Effectively and at low cost. With equipment which provides optimal conditions for animals. Because good animal welfare results in better skins and thus, higher income.

All innovation at Jasopels is focused on the quality of the final product.

To improve the efficiency and optimize work at a mink farm, regardless of whether it comes to sheds and equipment, or machines and farm articles.


That is why, all the feeding passages in mink sheds made by Jasopels are 140 cm wide.



RAFTER CONSTRUCTION

The wood is planed and of the best quality. All the rafters for 2-, 4- and 6-row halls are supplied in bundles, and may be used as DIY construction. **1**
 All rafters come with brackets for nest boxes, factory fitted on the rafter. **2**
 All rafters are calculated according to Eurocode EC-DK. All rafters all delivered with the dimensions of AT LEAST 45 mm x 95 mm – for both the rafter and roofing. **3**

In addition, Jasopels can at any time deliver rafters to size, in case sheds must be lengthened or you need specially designed rafters. We do not take additional fees for measuring the rafters.



12 ROWS MINK SHEDS



Birkekær Mink Farm



Base stones on sand ground



Casting the foundation



Installation of rafters



Ready for roof installation



Roof installation



Ready for installation of manure gutters and water systems

Roof sheets of 2-row sheds are delivered in FULL length.



HALLS WITH FIRE VENTILATION

Closed sheds are equipped with with bird-proof smoke ventilation.



FRONT AND WALL PANELLING

Front and wall panelling is provided with Plastisol-treated trapezoidal plates.



ROOF GUTTERS

The gutters supplied are by default STEEL ROOF GUTTERS from LINDAB.



RIDGES

The ridges delivered are in the best available quality.

They are 1.5 mm thick, UV-resistant and extra stiff, which makes the installation easy and ensures that the curved shape is maintained after installation.





STEEL CONSOLES



Item no.	Product description	Price
2116-203000	1 Steel console	*
2116-203005	2 Steel console, the "goat" model.	*

Jasopels produces galvanized steel consoles for cages, breeding boxes and manure pipes. They can be used in sheds with steel rafters etc.

The consoles can be found in various versions: with "feet" – for mounting on concrete floors and other level surfaces or with longer "legs" for imbedding. The consoles are made of 30 mm rectangular pipes with welded-on galvanized brackets for manure pipes and plates for mounting of mink data cards.



MANURE SYSTEMS

Jasopels does not compromise...

Jasopels offer the most flexible manure system on the market – tailored to your farm and your needs. We are ready to deliver back flush systems with dry-mounted pumps.

We do not compromise when it comes to our common goal – the environment. All materials are therefore approved for this purpose and the installation is, of course, performed by specially trained employees. Jasopels offers all the commonly known manure systems, both Farmcat and wire drive solutions.

JASOPELS FARMCAT

ITEM NO. 2318-37502003

Efficient manure removal with the Jasopels FarmCat.

The wireless Jasopels FarmCat handles automatic manure removal of the mink shed accurately and efficiently with minimal maintenance necessary.

The new FarmCat is fitted with a more powerful motor, improved forward drive, more powerful battery with triple battery life, automatic charging between operation intervals, and new, future-proofed control system that can be adjusted individually in relation to requirements on the individual farm.

- **Minimal maintenance**
- **Made of stainless steel**
- **Double wheel drive**
- **Single model – for fallout in the rear**
- **Double model – for fallout in the middle**

PUMPS

Item no.	Product description	Price
2314-33800150	Pump 6,5 hp, dry mounting	*
2314-33800130	Pump, 2 hp, back flush, complete	*
2314-33800120	Control cabinet with interval start	*
2313-33160490	Tank overflow 160 mm, galvanized	*
2315-33800100	Dry well 1000 x 2000 mm	*



GUTTERS AND FITTINGS

Item no.	Product description	Price
2311-33001020	Manure pipe, Gjøøl, grey, 350 mm of 6 m.	*
2311-33250430	Drain, Gjøøl, grey/black, excl. gutter	*
2311-33001070	End, Gjøøl, grey, 350 mm	*
2311-33001080	Suspension for Gjøøl drain, 680 mm, incl. bolt	*
2311-33001090	Hanger for Gjøøl end panel	*
2311-33001095	Suspension strap, flat steel 20x3 mm	*
2311-33300050	Manure scraper, manual for Gjøøl	*



BETTER WEIGHT CONTROL AND LARGER MINK WITH FARMMANAGER



Better flow in daily work

Last year when our vet came to visit, she was not impressed with what she saw.

– The vet did not approve my weight control procedures and thought that too many mink were too fat. This season, she found that they were much more uniform in weight. It is largely due to better feeding management with FarmManager, Meldgaard says.

Beside the simplicity of programs, there are two particular features of FarmManager that are very good.

– It has become much simpler to adjust the feeding amount and put it into the system. At the same time FarmManager is very pleasant to use, because you just press a single button to drive from one end to the other, Kristen Have Meldgaard says.

New Jasopels Feeding Machine 700

At the same time Kristen Have Meldgaard purchased a new Jasopels Feeding Machine 700.

– This is the first time I've got a feeding machine with a mixer. It was not the feature that encouraged me to buy the machine, but now I can't imagine doing without it. The mixer is especially good for making homogeneous feed. Previously, I sometimes used a pressure washer on the feed to make it softer. Now the whole process is much easier, says Kristen Have Meldgaard.

The feeding machine was custom made and equipped with a shorter steering column and a "racing wheel" to protect the shoulders and neck.

– It is also important that there is good service for the machine and spare parts are easily available, because a feeding machine runs every day of the year, Meldgaard emphasizes.

After a year with Jasopels FarmManager, Kristen Have Meldgaard has obtained more evenly-sized animals with better weight control and overall larger mink.

Kristen Have Melgaard has worked in the mink business since 1982, and today runs a farm of 1,600 females at Holstebro.

He has been using Jasopels FarmManager since April 2014. Introducing new working routines was a bit challenging at first.

– It is a huge help in controlling the weight of the animals and in the growing season, when I also use it for feeding. At the same time my minks are larger this season, Kristen Have Meldgaard says. He chose FarmManager because it is easy to operate and user-friendly.

– I did check other systems, but Jasopels' solution was the most manageable in everyday work, he emphasized.





MAYBE THE WORLD'S BEST FEEDING SYSTEM

Jasopels has hit the bull's eye with FarmManager, a feeding system capable of much more than feeding the animals individually and quickly.

Many mink farmers in Denmark as well as abroad today use Jasopels FarmManager. We have thereby received a lot of feedback, which has meant that our feeding system is now at such a high level that it can meet the demands of all farms, regardless of size.

FarmManager can today be found on farms of 1,000 females up to the largest of 50.000 females.

Call us and book an appointment for a demonstration.

- *The system automatically generates lists of sick animals.*
- *A system that always knows where it is*
- *Creates records of medicine, defects on the farm, and dead animals*
- *A stable system that can withstand being knocked about, frost, and water*
- *Fast and slow feeding in the same row with no pressing of buttons necessary*
- *Quick and easy adjustment of the amount of feed for each cage*
- *Overview and large buttons*
- *Program available in several languages*
- *Fully automatic backup and multiple units that communicate and share data*
- *From the feeding machine, birth rate curves, medical records, death records, kit number, feeding statistics, and growth development can be set up without having to connect other equipment*
- *Reverse function, so the feeding machine doesn't waste feed when it drives out of the rows and when there are multiple empty cages in a row*
- *The system can be adapted to individual needs*

Item no.	Product description	Price
4020-0057	FarmManager	8,095.00
4020-00622	Joystick for FarmManager	*
4020-00639	FarmManager Center PC, incl. antenna	*





PRECISE CONTROL, SAVINGS IN TIME AND LESS FEED WASTE

This year Jacob Bjerregaard has been using FarmManager with a feeding machine of another brand – it has been working without problem bringing savings in time and feed.

Jacob Bjerregaard manages a mink farm with 3.000 females in Skjern, supported by a Manager and an operator who works on a part-time basis. Since last year, when he purchased FarmManager, they have noticed less feed waste and considerable savings in time when it comes to the distribution of the feed.

– We have clearly gained a better control and saved lots of time thanks to FarmManager. At the same time, we avoid wasting the feed meant for females which would not eat it, because e.g. they have just given birth, says Jacob Bjerregaard.

The system is integrated with a feeding machine of another brand.

– In the beginning we needed to make a few phone calls, especially during the start-up phase as well as while introducing the settings. The system is installed on a feeding machine of another brand, yet it works beyond reproach, continues Jacob Bjerregaard.

Start-up before the puppy season

FarmManager has been introduced by the Manager Claus Thyrsted Kirk, just before the last puppy season.

– It was a bit unpredictable when we used it for the first time, but after I had registered the first row, it went really easy, says Claus Thyrsted Kirk.

He is especially fond of the attached growth curves and the precise control which the device guarantees.

– It is a first-class device to work with, especially during the puppy season. It is easy to enter data into it, like e.g. the one that females had puppies.

Afterwards the mink are fed as planned, according to the curve. We don't need to bother wondering whether they got too little or too much, says Claus Thyrsted Kirk.

Jacob Bjerregaard adds:

– The system is much more reliable than we are. Imagine you have 9.000 cage rooms to deliver the feed to; it is hard to assess the amount precisely, but with FarmManager we succeed each time.

Made for mink breeders


After the first season with FarmManager it is too early to compare the statistics regarding the size of the mink or the amount of feed. However, there are already first signs of the effects of the new system.

– It seems like the mink are more uniform now. We don't see such great variations in size, says Jacob Bjerregaard.

With the portioning system it was difficult to estimate how much feed should be given, only according to the number of puppies that were in the cage.

– We feed very precisely with FarmManager. If we see a sign of illness or a dead mink, we can easily register that in the system so that we get an overview showing statistics and numbers, later on. At the same time the system is easy to work with and thinks a little like a farmer, concludes Jacob Bjerregaard.





WWW.JASOPELS.COM – OUR WEBSITE PROVIDES CLARITY!

The website main tasks are to be easy and user-friendly. The layout which we choose gives the user direct and precise access to the required information. Our website presents our products with descriptions and informative illustrations, but also relevant news regarding current events, courses, open house and theme days.

Jasopels is an internationally oriented company, and the website can therefore be read in a number of different languages like English, Polish, Chinese, Lithuanian and Russian.

We constantly revise our used equipment market and it is easy to get access to the descriptions and prices. If you are looking for a specific employee please browse our contact menu for their contact details and a photo. In case you need to download a user manual just go to the "Manuals" section. If you need to have your ma-

chine serviced, we are always ready to help you – our service team is at your disposal. You can read more about the service options on our website.

We are constantly improving and developing our website, so that our customers always get the most updated news. We look forward to your visit!



Getting the maximum out of a fur farm...

Jasopels feeding machines are designed and manufactured to cope with the daily work of delivering many tons of feed for the animals on the farm, year after year. Jasopels feeding machines design is reliable and ensures that you get the maximum out of your fur farm.

Jasopels Feeding machines have been on the market for many years and is well known by farmers worldwide. It has been im-

proved and developed over the years, and we will continue to make it even better to meet the requirements and high expectations accompanying this machine series.

If you would like to know more about the Jasopels feeding machine, you can simply ask your colleagues from the business, or best, contact Jasopels for more details and a demonstration.

NEW



44 BHP

ITEM NO. 4010-0043
Articulated with mixer, water tank and blender and 2000 litre feed tank

Price EUR
37.825,00

Specifications

Articulated with power steering and improved turning radius.
4WD, with truck pattern on all six wheels, 12 layers of canvas.
4-way adjustable air steered seat.
Kubota V1505-Turbo quiet engine with low emission figures.
Oil cooler.
Mixer.
Water dosage
Service friendly and movable feed tank with quick coupling to the feed hose between the front and rear section.

Technical data

Engine	44.2 HP Kubota V1505-Turbo, 4 cyl. water cooled diesel.
Transmission	Full Hydraulic, 55 l. oil tank with oil cooler.
Operation	Servo.
Diesel tank	55 l
Feed Pump	Fluently adjustable XL toothed wheel pump.
Feed Tank	Stainless steel 2,000 l
Water Tank	50 l
Measurements	L: 435 cm B: 90 cm H: 165 cm

JASOPELS FEEDING MACHINE 1500

Specifications

Articulated with servo-steering
4WD, traction tires on all 4 wheels
Feeding hose between tractor and trailer
Feed tank with built-in mixer and safety system
4-way adjustable, air-cushioned seat
New Kubota 1505 low-emission engine
Oil cooler
Water dosage
Maintenance-friendly feed tank (tiltable to the side) with a quick-action coupling on the feeding hose between tractor and trailer
Newly-developed and improved cooling system

Technical data

Engine	KUBOTA 1505 35 hp / 26,2 kW
Transmission	Fully hydraulic, 55 l. oil tank with oil cooler
Steering	Servo
Diesel tank	55 l.
Feeding pump	Steplessly adjustable XL gear wheel pump
Feed tank	1320 l. or 1520 l. stainless steel feed tank with mixer
Water tank	50 l.
Measurements	1320 L.: L.: 375 cm H.: 155 cm W.: 89 cm
	1520 L.: L.: 375 cm H.: 165 cm W.: 90 cm



ITEM NO. 4010-0041
Jasopels Feeding Machine 1500 articulated with mixer, water tank and **1320 l feeding tank.**

Price EUR

31.075,00

ITEM NO. 4010-0042
Jasopels Feeding Machine 1500 articulated with mixer, water tank and **1520 l feeding tank.**

Price EUR

32.420,00

JASOPELS FEEDING MACHINE 950

Specifications

4-way adjustable seat
Servo-steering, articulated
4 WD Lawn Pattern on all 4 wheels
Low noise level and easy maintenance
Extra strength and sturdy construction equals low running costs
Multiple extra accessories
Maintenance-friendly feed tank (tiltable to the side) with a quick-action coupling on the feeding hose between tractor and trailer
Newly-developed and improved cooling system
Mixer

Technical data

Engine	26 hp KUBOTA 1105. 3 cyl. water-cooled diesel
Transmission	Fully hydraulic, 40 l. tank with oil cooler
Steering	Servo
Diesel tank	40 l.
Feeding pump	Steplessly adjustable XL gear wheel pump
Feed tank	Stainless steel, 950 l.
Water tank	Stainless steel, 50 l.
Measurements	L.: 330 cm H.: 150 cm W.: 90 cm



ITEM NO. 4010-0021
Jasopels Feeding Machine 950 articulated, with mixer and water tank.

Price EUR

27.015,00

JASOPELS FEEDING MACHINE 700



ITEM NO. 4010-0011

Jasopels Feeding Machine 700 with mixer and water tank.

Price EUR

24.315,00

Specifications

4-way adjustable seat
Servo-steering, small turning radius, easy to maneuver
Low noise level and easy maintenance
Tiltable feed tank with mixer
Water dosage
Multiple extra accessories
Newly-developed and improved cooling system
Lawn pattern on wheels

Technical data

Engine	26 hp KUBOTA 1105. 3 cyl. water-cooled diesel
Transmission	Fully hydraulic, 40 l. tank
Steering	Servo
Diesel tank	40 l.
Feeding Pump	Steplessly adjustable XL gear wheel pump
Feed tank	Stainless steel, 700 l, with mixer
Water tank	Stainless steel, 50 l.
Measurements	L.: 255 cm H.: 150 cm W.: 85 cm

SPARE PARTS FOR FEEDING MACHINES



Item no.	Product description	Price
4020-0011	1 Grammer air-cushioned seat	*
5011-740901115	Grammer seat with mechanical suspension	*
4020-001	Grammer cushion with heat	*
4020-0014	2 STAR air-cushioned seat (Std. on 1500)	*
4020-0015	STAR seat with mechanical suspension (Std. on 600/700/950)	*
4020-0016	STAR seat with heat (only on air-cushioned seat)	*
4020-0035	3 Ergonomic armrest incl. waste bucket	*
5020-010542	Waste bucket Jasopels 600/700	*
5020-010541	Waste bucket Jasopels 950/1500	*
5013-00195	4 Easy grip for feeding hose	*
5013-00100	5 Feeding hose, soft, blue	*
5013-0018	Feeding sprout, Ø-40mm	*
5013-0019	Feeding sprout, stainless	*
5020-7044338	6 Gasabsorber 200N for armrest	*
5020-7044344	Angle part for gasabsorber	*
4020-0039	7 Feed Cutter	*
5013-002902	8 Hose 63 mm - 65 cm	*
5020-010550	9 Spare parts kit for Jasopels 600/700/950	*
5020-010551	Spare parts kit for Jasopels 1500/2000	*

EFFICIENT OPERATION DEMANDS VOLUME AND RELIABILITY

Precise feeding at top speed together with operational safety are some of the reasons why Jack and Lars Kristensen drive two Jasopels Feeding Machines 1500

As Jack and Lars Kristensen from Vemb run a mink farm with 12.000 females, they are focused on efficient operation. Two Jasopels Feeding Machines 1500 help them to achieve this goal.

– It means a lot to us to have two equal feeding machines. We were looking for the most stable ones on the market, the ones that could stand up to the test they were put to. What we were also aiming at, was to get the job done as quickly as possible by as few employees as possible. This is our strategy, explains Jack Kristensen.

During the last season he and his brother have tested the new Jasopels 2000 with 2000 liter feeding tank.

– We received the prototype for a two-stage test. We let the feeding machine drive eight hours a day and then we could give some advice to the the developpment department, so that they could master the machine, says Jack Kristensen.

Optimal in the big sheds

The strenght of the machines great capacity is especially manifest-ed when it is driving in the new sheds.

– Jasopels 2000 is quite perfect for those sheds which are 110 meters, then a pause of 8 meters and then again 110 meters. You

can feed much faster because you don't have to fill in the feeding tank that many times. It fits well with our needs, says Jack Kristensen.

Unlike Jasopels 1500, the 2000 model has a boogie suspension. It means you can drive comfortably even on bumpy floors.

– The feeding machine drives steadily and softly inside the shed, without tilting or rocking. This means there is less pressure on the floor, which consequently does not need so much maintenance, highlights Jack Kristensen.

FarmManager gives you a peaceful weekend

Both Jasopels Feeding Machines 1500 are connected to a FarmManager system which has been running for 3 years now.

– When you first get to know it, the system works really well. It is simply so easy – says Jack Kristensen, who is particularly pleased with the fact that he does not have to worry when he is leaving his farm.

– I can leave the farm on Friday afternoon and be sure that the animals get optimal feeding during the weekend, without me having to be there, emphasizes Jack Kristensen.

He can also check via computer if everything goes right at his farm.

– If something is wrong, I get an email in the evening. It really means a lot – before, I had to be here all the time, says Jack Kristensen.





Item no.	Product description	Price
4020-0058	10 Jasopels feeding computer	*
5020-29012	11 Feeding computer S11	*
5020-290122	Frame for S11	*
5018-04113	Solid start relay for S11	*
5020-290107	12 Encoder for feeding computer	*
3271-00188003	O-ring for encoder	*
5020-010001	13 Feeding pump Jasopels/Soffie XL 4 M	*
5020-010502	14 Nylon clutch sitex 28	*
5020-0105020	Fiber clutch sitex 28, strengthened	*
5020-010501	Hub for clutch sitex 28	*
5020-7612314	Hose pipe 10 mm for water	*
4120-006	15 Work light	*
5011-941002	Bulb H3	*
5018-0211	16 Water pump for regulated feeding 12 l./min.	*
5018-02111	Water pump for regulated feeding 20 l./min.	*
5018-02112	Water pump for regulated feeding 22 l./min.	*
5018-0464	17 Pedal blue	*
5018-0465	Effort for pedal	*
5923-74002800	18 Reverse contact - strong	*
5940-10125030	19 Bearing, female	*
5940-10125031	Bearing, Male	*
5940-10125040	Bearing for Jasopels/Soffie 1500 - spreadable	*
5967-0600101005	20 Heavy duty chain 5/8" for mixer	*
5967-0611061000	Heavy duty chain 5/8", installation bearing for mixer	*
5020-910157	Sprocket 57 tooth for mixer	*
5020-910111	Sprocket 11 tooth for mixer	*
5055-2129	21 Complete rear wheel with traction pattern, 6 layers	*
5055-21290	Complete rear wheel with traction pattern, 12 layers	*
5055-1238500	Complete rear wheel with lawn pattern, 6 layers	*
5055-12385001	Complete rear wheel with lawn pattern, 12 layers	*
5055-1167000	Complete front wheel std. for Jasopels/Soffie 600/700	*
5055-1167020	Complete front wheel wide for Jasopels/Soffie 600/700	*
4020-006	22 Material Box	*
5020-020074	23 O-ring for ventiator for Jasopels/Soffie 600/1500	*
5019-3018	24 Oil-filter for Jasopels/Soffie	*
5019-3150	25 Air filter for Jasopels/Soffie	*
5019-3016	26 Fuel filter for Jasopels/Soffie	*
5011-740910	27 Diesel filter for Jasopels/Soffie	*
5020-2900441	28 Hydraulic filter for Jasopels/Soffie	*
5020-2900440	29 Pressure filter for Jasopels/Soffie	*
5020-290043	30 Hydraulic return filter for Jasopels/Soffie	*

SERVICE

Citing the motto “prevention is better than cure”, we would very much like to draw your attention to service and maintenance.


At Jasopels we like to be prepared, but we know that even though we try hard to be ahead of schedule, time moves quickly and our technical staff are overloaded during the pelting season.

In order to provide you with the best possible service, if you already know that some of your machines need servicing, maintenance or repair, please call us to arrange a visit at your pelting house in good time prior to pelting time.



FEED SILOS

Item no.	Product description	Price
4310-010	Feed silo, stainless, 2.500 l.	*
4310-011	Feed silo, stainless, 3.300 l.	*
4310-0110	Feed silo, stainless, 4.000 l.	*
4310-012	Feed silo, stainless, 5.000 l.	*
4310-0120	Feed silo, stainless, 6.000 l.	*
4310-013	Feed silo, stainless, 7.000 l.	*
4310-014	Feed silo, stainless, 2 x 2.500 l.	*
4310-015	Feed silo, stainless, 2 x 3.300 l.	*
4310-016	Feed silo, stainless, 2 x 4.000 l.	*
4310-017	Feed silo, stainless, 2 x 5.000 l.	*
4310-025010	Stairs for stainless silo 2.500 l., 10 steps	*
4310-025012	Stairs for stainless silo 3.300/5.000 l., 12 steps	*
4310-025014	Stairs for stainless silo 4.000/6.000 l., 14 steps	*
4310-025016	Stairs for stainless silo, 15 steps	*



Call us to learn more and get a quote.
Walkway from 600 x 1500 mm to 600 x 5.000 mm in length

GAS ONE

ITEM NO.: 4320-00075

- **Avoid sick and injured animals on the farm**
- **Quick and easy way of putting the animals down with CO₂**
- **Enough CO₂ for 35 minutes – the gas cylinder can be refilled**
- **Putting down possible during feeding**
- **With a small (1 kg) CO₂ cylinder**
- **With Gas One you are prepared for a visit from the authorities**
- **Gas One can be mounted on all types of feeding machines**

Price EUR

800,00



Item no.	Product description	Price
3250-003006	1 Jasopels Trolley for bodies - 9 shelves	1.610,00
3250 - 0030060	Jasopels Trolley for bodles 8 shelves for big bodies Dimensions of the shelf L:200 cm B:46 cm	1.610,00
4320-00027	2 Gas box, incl. electric start	*
4320-00028	Gas box, EL-box for Co2	*
4320-00035	Conveyor for gas box 225 cm incl. wheels	*
4320-000350	Conveyor for gas box 285 cm incl. wheels	*



2



1



When using a Gas Box, a Conveyor and a Body Drum, you will experience higher efficiency in the process of putting the animals down.

THE PELTING CENTER WILL BENEFIT FROM THE ECONOMIES OF SCALE

In the upcoming season Sydvestjysk Pelting Center in Varde will process 900,000 of mink and will focus on optimising their collaboration with Jasopels.

It looks like Sydvestjysk Pelting Center is catching the ball on the fly after their start-up in 2013. This season they have already processed around 600,000 mink, and in the next season the center is planning to skin and process even 900,000.

– Next season we are going to skin approximately 35,000 mink daily. Around 7,800 of them will be transferred for further processing and the rest will be frozen – says Christian Winther, Director of Sydvestjysk Pelting Center.

The skin processing centre is located in a former dairy, in the suburbs of Varde. It has the area of 10,000 m².

– The conditions we work in are actually perfect. We have a large storage capacity and we may get very well organised in terms of logistics. Thanks to this we can minimise our problems related to e.g. the reloading process. This results in effective work connected with high quality, adds Christian Winther.

Jasopels as the main supplier

After opening the facility in 2013, Jasopels became a main supplier of machines and equipment for the centre. In the upcoming season the supplies will include, among others, 11 skinning lines, 5 body drums, 5 fleshing lines, 5 leather side drums, 250 Maxi trolleys with Easy Off boards, 6-8 pinning lines and 2 skin cleaners.

– We are continuously cooperating with Jasopels, aiming at further optimisation of our production process. We can use the thorough knowledge that Jasopels have about their machines, whereas

we have great experience in production. Thanks to this combination we may constantly develop the quality of our products, states Christian Winther.

One of the advantages coming from such a close collaboration is the possibility to achieve results very fast.

– It's a bit like sailing. If we change something, we see the result immediately. Our actions bring fast effects, which for me is very positive, reports Christian Winther who previously was Factory Director at Velux and Vestas.

The eldest teach and manage the quality

A great part of the employees working at the center are season workers from the Baltic Countries.

– During the peak period we employ even 150 workers. Most of them are from Latvia, and they temporarily leave their jobs in the home country, e.g. in the public sector, says Christian Winther.

In order to guarantee the skin quality and effective trainings, Sydvestjysk Pelting Center has concluded a contract with former mink breeders.

– We can be proud of the fruitful cooperation with a group of ranchers who take part in the quality management process. They participate in training new employees, mostly in the skinning procedure. At the same time, they are responsible for controlling the production chain and recording everything – thanks to it we may monitor the skins and control the quality, Christian Winther explains and adds:

– Most of all we must stay concentrated on the quality. Later on we may focus on the optimisation within particular stages – we must remember that everything needs to be done step by step.



JASOPELS BODY DRUM XL

Szymon and Grzegorz Musiał, farm-owners from Bukowiec, use several of Jasopels products. One of them is an efficient Jasopels Body Drum XL. The product is well-made and easy to use. Grzegorz Musiał said that thanks to the drum he could process 350 bodies simultaneously –compare to only several dozens previously. “Jasopels Body Drum XL made our work significantly easier and faster”, he added.

On your farm you use several solutions from Jasopels. However, the Body Drum XL was not the first one. Why did you decide to invest in the Jasopels product, if a standard drum had been sufficient for the production?

The previous drum simply became ineffective in meeting our needs. Therefore, we started to look for a different solution. We always try to improve our farm in a way that increases quantity without compromising the quality. We use several Jasopels products, which perform very well on our farm, and this convinced us to buy the Jasopels Body Drum XL.

And you haven't been disappointed? Has it really been more efficient than competitors' products?

Firstly, you cannot compare the efficiency of this drum to the one we used to have. In this respect, our productivity increased a few

times. The previous drum processed only several dozens of bodies, and this one is able to process even 350. But most importantly, even if we fully fill the drum up, the high quality of the finished product is preserved. The same applies to working time, which is really very satisfactory, taking the size of the load into account.

The Body Drum XL you bought can be connected to the Jasopels Conveyor Belts and other Jasopels products. Is it a useful feature?

The compatibility with other products is one of the drum's features we value most. The product is fully compatible with our conveyor belts or extraction fans. Computer connects and disconnects everything. This simplifies our work significantly.

Have you had any problems with it? Did you have to train employees?

No. The way the drum is build makes it easy to be operated by any employee. There are also no problems with potential repairs. Our equipment base was complemented by the Jasopels Body Drum XL, which performs well.

- **high performance**
- **efficient cleaning**
- **robust construction**



JASOPELS DRUMS

The new family of Jaspels' effective drums has already become highly appreciated by both Danish and foreign fur farmers. This is, of course, a result of many factors. The success is by and large due to the fact that apart from being effective and reliable, the machines have been designed with the utmost attention paid to both safety and the working environment.

It is characteristic for all new Jaspels drums that the rotating core is encapsulated. In this way we made sure that the user cannot get to the moving parts unintentionally. The traditional belt drive is no longer used in the new drums. This means that you get a drum without tensile stress and you save money on wearing parts. The large wheels are driven by direct drive with a soft-start feature, which ensures smooth operation, and at the same time the absence of belts makes the machines very quiet. We have, of course, equipped the larger models with the latest digital technology, which makes programming very easy.

Put suction on your drums to improve the working environment.

Regardless of how good and expensive sawdust you are using, there will always be varying occurrences of what is called dangerous dust, which is basically dust smaller than 0,063 mm

Dust is as such very light and it is practically invisible to the naked eye. All wood contains a certain amount micro-organisms, yeast and mould fungus, which may cause serious respiratory diseases.

If you want to improve the working environment in your pelting center, we recommend that you install suction devices with your drums. The machinery itself is placed outside of the pelting center in order to eliminate both noise and dust from the workplace.

JASOPELS BODY DRUM XL

ITEM NO. 3240-290201

- *New tumbling method*
- *Reliable construction*
- *No compressed air necessary*
- *Movable electric box*
- *Fast emptying*
- *Additional cleaning of bodies*
- *Very large capacity (About 300 males/ 450 male/female)*
- *Improved emptying system*



Price excl. suction device EUR

17.555,00

Technical data

Dimensions	L: 240 cm H: 210 cm W: 175 cm
Diameter	Ø120 cm closed
Electrical connection	3 x 400 Volt N + PE

BETTER CONTROL AND TROMLING WITH XL



Henning and Allan Christensen used the Jasopels Body Drum XL in the last season - it resulted in larger volume, better drumming process and easier control.

The brothers Henning and Allan Christensen run a company which focuses on both the sale of breeding animals and skins from their own pelting center. Along with their father's animals up to 80,000 skins pass through their pelting center.

– In this season we have been running with the Jaspopels Body Drum XL, which has increased our capacity from 80 males in a drum to 150 males, says Allan Christensen.

Experience with the new drum shows that it produced good quality - better and cleaner skins and as well as ensures more effective operation.

– More effective operation means that we have a better control over whether employees comply with the appropriate tumbling time. At the same time the drum is filled and emptied more quickly. And we have achieved more efficient drumming time, because the drum is working while we load it, says Allan Christensen.

He estimates that the amended filling system alone has given him three to four minutes longer tumbling.

Built for volume and flexibility

The control of Jaspopels Body Drum XL allows determining how fast the drum starts, and the drumming time together with filling and emptying.

– I like it that it starts up and stops slowly. There are no sudden jerks or beats of the drum. It makes an impression of a powerful machine that is also tough, says Henning Christensen.

Every time the drum is filled with animals, 25 kg of sawdust goes to the drum as well.

– Sawdust is gathered well in general, and the amount getting out is limited. We get the natural exchange of sawdust, which we have to do, Allan Christensen points out.

Although the brothers were among the first who bought the Jaspopels Body Drum XL, it has proven to be exceptionally reliable.

– The service by Jaspopels this season has also been outstanding. We have barely chosen the phone number before they have already parked in our yard, Allan Christensen says.



JASOPELS BODY DRUM

ITEM NO. 3240-290200

- **New tumbling method**
- **Reliable construction**
- **No compressed air necessary**



Technical data

Dimensions	L.: 240 cm H.: 210 cm W.: 175 cm
Diameter	Ø120 cm closed
Electrical connection	3 x 400 Volt N + PE

Price excl. suction device EUR

12.150,00

JASOPELS BODY DRUM WITH SLIDING DOOR

Fill the drum with mink and start it. You can set the tumbling time yourself. When the set tumbling time is up, the drum will automatically remove the mink and the sawdust will remain inside the drum.



Technical data

Capacity	100 males / 120 females
Electrical connection	3 x 400 Volt + N + PE
Air	0,05 l/min and 8 bar
Dimensions	L.: 230 cm H.: 182 cm W.: 124 cm

Item no.	Product description	Price
3240-206000	Jasopels Body Drum with sliding door, right	8.775,00
3240-206001	Jasopels Body Drum with sliding door, left	8.775,00
3280-00209870	Safety kit, wire set	670,00

Price EUR

8.775,00

JASOPELS LEATHER SIDE DRUM

ITEM NO. 3221-220825

- *Tumbles and cleans the skins twice*
- *Better tumbling*
- *Larger diameter*
- *No belt drive*



Price EUR

6.745,00

Technical data	
Dimensions	L.: 240 cm H.: 130 cm W.: 110 cm
	Ø 100 cm Drum Diameter
Electrical connection	3 x 400 Volt + PE

JASOPELS SAWDUST HEATER

ITEM NO. 3250-920225

The "good old" Sawdust Heater that is always in great demand – now in a new and modern version.

The machine has a large capacity. It can take approx. 5 bags of sawdust at a time. Sturdy construction. Equipped with large rubber wheels.



Price EUR

6.070,00

Technical data	
Electricity	3 x 400 Volt + N+PE, 3,75 kW
Connection	CEE 16
Dimensions	L.: 215 cm H.: 190 cm B.: 75 cm

JASOPELS SKIN DRUM

ITEM NO. 3240-290100

- **New tumbling method**
- **Reliable construction**
- **Can be connected to the Skin Moving System**
- **No compressed air**
- **Excl. Skin Moving System**



Technical data

Dimensions	L.: 370 cm H.: 180 cm W.: 170 cm
	Ø 120 cm Closed
Electrical connection	3 x 400 Volt N + PE

Price excl. suction device and skin moving system EUR


12.150,00

SKIN MOVING SYSTEM

ITEM NO. 3250-901000

Together with the Self-Emptying Skin Drum the system can carry out the following working processes:

- **Automatically move skins from the fleshing room to a silo placed above the drum**
- **Move the skins from the silo under the drum to the pinning room/pinning machine**
- **The automatic control monitors the rest of the procedure after tumbling is finished**
- **Move sawdust from the drum via a buffer silo to the container above the Fleshing Automat**
- **Time-saving, saves up to 75% of expenses connected with the drum operator's wage**



Remember to place your order before 01.08.15 if you want the machine delivered in 2015.

JASOPELS SKIN DRUM WITH SLIDING DOOR

A time saver that you can really feel!



- The skins are tumbled in a closed drum
- Switches to net drum automatically
- The drum removes sawdust itself
- Automatic removal of the furs
- Air-operated loading lid

Price EUR
9.450,00

Technical data	
Capacity	Approx. 80 males / 110 females
Dimensions	L.: 272 cm H.: 199 cm W.: 126 cm
Air	2 l/min max 8 bar
Electrical connection	3 x 400 Volt + N + PE

Item no.	Product description	Price
3240-290000	Jasopels Skin Drum with sliding door, right	9.450,00
3240-290001	Jasopels Skin Drum with sliding door, left	9.450,00

SUCTION DEVICE FOR JASOPELS BODY DRUM AND SKIN DRUM

ITEM NO. 3220-800403



Price incl. pipes EUR
2.030,00

Technical data	
Dimensions	L.: 135 cm H.: 250 cm W.: 66 cm
Electrical connection	3 x 400 Volt + PE

SPARE PARTS FOR DRUMS


 3280-00209920 Safety set for Body Drum	 3280-00209930 Safety cover for wheels	 5150-00201050 Support wheel Ø200 w/6204 bearings	 5150-00201060 Support wheel Ø200/Ø20	 5150-00201070 Driving wheel
 5923-70000508 Pizzato ISO electronic stop 1 NC + NO	 5923-70012078 Pizzato emergency contact 2 NC+1 NO slow	 5150-00270039 Wheel for Jasopels Skin Drum	 5961-00054242 V-belt B167, inside measure 4242 mm	 5290-1105132 Eccentric lock no. 105
				 5280-03042552 Wheel for Jasopels Leather Side Drum

CONVEYOR BELT FOR BODY DRUM

The Conveyor Belt is supposed to be placed right by the Body Drum. It needs to be placed in such a way that the mink bodies, as they leave the drum, are fed directly onto the conveyor belt, which thanks to a control module will transport them at the same tempo as that of the slicing and skinning performed by the Slicing Machine/Pelting Robot.



Item no.	Product description	Price
3250-832151	Conveyor belt, 150 cm, incl. control panel	2.690,00
3250-832201	Conveyor belt, 200 cm, incl. control panel	3.365,00
3250-832301	Conveyor belt, 300 cm, incl. control panel	4.040,00
5923-44003205	1 Photo Sensor Ø18, angle reflection	*
5923-44003210	2 Reflector tapes, 50x1000mm	*



CONVEYOR BELT

Increase the capacity by over 30%

Place the Conveyor Belt under the Slicing Machine. The conveyor Belt transports the mink to the Body Hook. Suitable for Slicing Machine T2 and T3.

Item no.	Product description	Price
3250-118200	Conveyor belt 2 m excl. stand	1.340,00
3250-118250	3 Conveyor belt for Slicing Machine T3, 2,5 m excl. stand	1.530,00
3221-225000	4 Conveyor belt for Leather Side Drum with stand	1.610,00
5210-118855	Conveyor belt, loose, 1,5m	270,00
5210-118900	Conveyor belt, loose, up to 1,5m	335,00
5210-118920	Conveyor belt, loose, up to 2,5m	420,00
3250-7411000	5 Tub trolley with 4 swivel castors/round black bowl	179,00



CONVEYOR BELT FOR SKINNING MACHINE T3/T4

Place the Conveyor Belt after the Skinning Machine. It will then transport the bodies to the container. Excl. stand.

Item no.	Product description	Price
3250-831300	Conveyor belt, rubber, 15 x 300 cm	2.700,00
3250-8313000	Conveyor belt, rubber, 15 x 400 cm	3.230,00
3250-8313001	Conveyor belt, rubber, 15 x 500 cm	3.640,00
3250-8313002	Conveyor belt, rubber, 15 x 600 cm	3.760,00



JASOPELS SLICING MACHINE T3

A family of experienced mink breeders from Bukowiec in Poland, Grzegorz and Szymon Musiał, has been engaged, for many generations, in breeding foxes first, and minks later. Grzegorz and Szymon Musiał have switched to Jasopels products a long time ago. Jasopels Slicing Machine T3 is one of the products they use. "The machine is very fast and precise", the mink breeder says. And he adds: "I don't think it would be possible to make this product easier to use than it is".

Pelting is one of the most difficult parts of making a good product, and so much depends on it. And you decided to trust Jasopels solutions.

Yes, this is true. This is a very complicated process with many factors affecting it. You can work for a whole year and then spoil everything at the end, so we needed a machine we could rely on.

There are other solutions available. Why did you choose Jasopels slicing Machine T3?

We didn't take the decision quickly – we did a lot of research first. We had access to products of other companies, but in the end we put our trust in the Jasopels brand. I must say we have not been disappointed.

What differences did you spot?

When compared to products of other manufacturers, the Jasopels Slicing Machine T3's reset system is highly efficient. In Jasopels products it works very quickly and you can restart the machine after only a short moment. Thanks to that there are no unnecessary stop.

Did the opinion of other mink breeders influence your decision?

Certainly. The new version of the Jasopels Slicing Machine T3 is based on the previous reliable machines, which enjoyed good reviews among mink breeders.

What would you say the advantages of Jasopels Slicing Machine T3 are?

Firstly, it's very fast and precise. The laser function is also important – thanks to it our employees know exactly what to do, so as not to

ruin the skin. In this work, attention to details is very important, and Jasopels takes care of the fine details. There are also no problems with the product's servicing and maintenance because we can contact the technical staff almost instantly, and the help offered is very solid.

Would everyone be able to operate this machine?

I don't think it would be possible to make this product easier to use than it is. The inbuilt computer is very easy to use and intuitive. It is important for us that no long training is needed to achieve full proficiency when operating the machine. Thanks to that every of our employees works effectively on this machine. You might say that the perfection of this machine results from human laziness as it's built in a way that the person using it practically does not need to use muscle force. It's clear that this product was created with humans and minks in mind.

Would you recommend the Jasopels Slicing Machine T3 to other mink breeders?

Definitely! We bought a product which met all our expectations – it's easy to operate, intuitive, precise, fast and well-built. This contributes to the fact that the performance of this machine is recommendable. If we ever need to invest in another slicing machine, it will definitely be a Jasopels product.

Jasopels has been operating for more than 20 years, but your family has been breeding minks much longer.

We have been breeding minks for three generations now. Jasopels products have been used practically from the birth of our brand. I must say that we have never been let down by this company's products. That is why we always use Jasopels products and solutions.

- **Large capacity**
- **cutting precision**
- **possibility to adjust each process cycle**
- **easy operation**



JASOPELS SLICING MACHINE T4 XL

ITEM NO. 3210-120005



Price EUR
19.585,00

Jasopels Slicing Machine T3 XL/T4 XL with laser for slicing of cross cut.

This model has an increased stretch length and V-cut. The machine's process time is approx. 5 seconds per animal.

With a display, where you can read out cycle time and other relevant production data. Quick switching between males and females. Extra air regulator for setting the stretch pressure for both males and females. 100% correct triangle cut. Streamline your workflow by placing a conveyor belt under the Slicing Machine.

Technical data	
Electrical connection	1 x 240 Volt + N + PE
Air	600 l/min and 8 bar
Dimensions	W.: 120 cm H.: 120 cm D.: 65 cm
Weight	100 kg

Item no.	Product description	Price
3210-120000	Jasopels Slicing Machine T3 XL	17.555,00
3210-120005	Jasopels Slicing Machine T4 XL	19.585,00

SPARE PARTS FOR SLICING MACHINE T3 XL/T4 XL



3271-00110060
Paw holding brick, left



3271-00110061
Paw holding brick, right



5120-00120166
Knife, round, Ø 80 mm



3271-00110166
Knife, round, Ø 50 mm



5120-00120167
Knife, round, Ø 80 mm High Speed Steel



5120-00110167
Knife, round, Ø 50 mm High Speed Steel



3271-00110066
Knife for paw cut, left



3271-00110067
Knife for paw cut, right



5940-10020608
Glasier bearing PAF 0608 for paw knives



5120-00110071
Paw cut cylinder - Left



5120-00110072
Paw cut cylinder - Right



3271-00110115
Circular knife for T2 Ø 50 mm



5120-00110163
Knife holder



5963-05903542509
Gates toothed belt GT3 5MGT 425-09



5120-0012637216
Air engine Slicing Machine T3 - Left



5120-001263727
Air engine Slicing Machine T3 - Right



5120-00110165
Air engine cross cut



3280-00120444
Laser beam for cross cut marking



5940-11200031
Slide bearing



3393-1501
Slide bearing



5120-00122241
Belly paddle XL - Slicing Machine T3



5120-00120750
Paw plate T3 2006, new left



5120-00120751
Paw plate T3 2006, new right



5940-10600201
Ball bearing Ø15 x 32 x 9



5940-10600101
Ball bearing Ø12 x 28 x 8 steel seal 6001 ZZ



5912-51032050
Cylinder Ø 32x50 mm



3285-00128980
Spare part kit Slicing Machine T3



3271-00110069
Knife for paw cutting left saw 2014



3271-00110068
Knife for paw cutting right saw 2014

TRAINING

With the Jasopels pelting machines work is performed quickly and correctly. This way efficient working conditions and high quality of the final product are ensured.

Jasopels are now stronger than ever in their efforts to offer fur farmers the best solutions for skin handling, whether what you want is a solution for the entire process or just individual machines.

Jasopels provides effective solutions for all phases of the process (putting the animals down, skinning, scraping, stretching and drying) until the moment when the skins are in the storage room, ready to be shipped. Every step is performed in the professionally best possible way.

The machines are designed and developed based on many years of experience in the fur industry.

In our development department accomplished professionals work all year long to develop and improve the machines so that we can always offer you the best products on the market.

We test the machines thoroughly before they are released for sale in order to make sure that you get products that are all of high quality. At the same time we focus significantly on achieving the best possible working functions.

In order to make work even easier and more efficient, we have developed a number of unique tools and machines over the years. Their task is to transport mink skins, bodies and sawdust during the pelting process so that everything can be done in a single operation cycle, with great efficiency and with work satisfaction as a result.

TAKE PART IN A TRAINING SESSION AND MAKE MONEY!

Jasopels offers all users of new Jasopels machines practical training aimed at allowing them to get the most out of the pelting process and helping them become familiar with the machines before pelting season.

Last season a couple hundred mink breeders agreed to participate in Jasopels' practical training in the use of the Jasopels WRAP Machine T5 Maxi Stretch, Jasopels Fleshing Machine T6 and Jasopels Pelting Robot XXL.


It gives you overview and energy to keep the pelting center running effectively – e.g. during peak load periods, when it is necessary to change a spare part – so that you can move the production process forward as soon as possible.

The courses will take place in the autumn 2015.



JASOPELS SKINNING MACHINE T11

ITEM NO. 3210-190000



A new and efficient skinning technique that takes over the hard, physically demanding work and ensures quick and accurate completion of the job, regardless of how large the minks are.

Skinning Machine T11 has a seat that ensures an ergonomically correct working position and eases the job for the operator. Skinning Machine T11 can be easily and safely operated with its two foot pedals. In a single procedure, the skin is pulled off and put aside, while the body is transported away on the conveyor belt.

- **Large capacity**
- **Ideal for large animals**
- **Ergonomically correct work posture**
- **Built-in conveyor belt**

Technical data

Air	2,0 l/min and 8 bar
Electrical connection	3 x 400 Volt + N + PE
Dimensions	L.: 240 cm H.: 175 cm W.: 80 cm

Price EUR

16.210,00

The price includes pneumatic knife and hanger.

JASOPELS SKINNING MACHINE T4 XL

ITEM NO. 3210-187000

This machine is easy to use and it is also available with an automatic body remover. Improved Skinning Machine and shoulder holder.

The stretch length has been increased by 250 mm. If the machine is placed together with a body remover and a small conveyor belt that transports the bodies to a container, the fur flow is better and the entire working process is optimized.

Price EUR
6.745,00

The price includes pneumatic knife and hanger.



Technical data	
Electrical connection	3 x 400 Volt + PE
Air T3 XL	0,77 l/min and 8 bar
Air T4 XL	2,0 l/min and 8 bar
Dimensions:	L.: 240 cm H: 175 W: 80 cm

NEW

JASOPELS SKINNING TOWER

ITEM NO. 3210-187005


It gives us great pleasure to present Jasopels Skinning Tower.

The Skinning Tower is based on well-known skinning techniques. It has a tough construction and is very reliable.

Skinning Tower from Jasopels has more power, which makes it suitable for even the largest males.

Price EUR
7.420,00

The price includes pneumatic knife and hanger.



Technical data	
Electrical connection	3x 400 Volt + PE
Dimensions	L: 120 cm H: 220 cm B: 80 cm

SPARE PART FOR SKINNING MACHINE



3280-00179920
Kit for rebuilding the holder of T3 Skinning Machine



5140-00172018
Skin holder, rubber, 13x62x96



5140-00186122
Arm for holder, knuckle model



5911-5228521011
Foot pedal 5/2, yellow



3285-00188980
Spare parts kit BS Hydr. Skinning Machine



3210-188000
Pneumatic knife, straight model



3210-189000
Pneumatic knife, angle model



3271-00188003
Drive belt for pneumatic knife straight/angle, blue



3271-00110166
Knife, round Ø50 x 16 x 1 mm



5120-00110167
Kniv rund Ø 50 mm High Speed Steel



5140-00185220
Hydraulic Station 1.5 kW electric/oil engine, 220V



5140-00185007
Pneumatic controlled Cetop valve



3210-188020
Complete silencer for air knife



3120-174002040
Head of the head cutter with click system



3120-174002040
Mounting kit for head cutter

NEW

Now spare part kits for Jasopels Feeding Machines.



SPARE PART KITS

We all know how costly it is when machines go on strike during production – this also happens in pelting centers. This is why we offer you spare part kits!

When a problem occurs and the production process is interrupted, it is often a part which can be found in the spare parts kit that needs to be used to fix the problem. By having a spare parts kit on site the breeder can save a lot of money. The reparation that needs to be made can often be done with assistance over the phone.

Item no.	Product description	Price
5020-010550	Jasopels Feeding Machines 700/950	475,00
5020-010551	Jasopels Feeding Machines 1500/2000	565,00
3173-174101000	Spare parts kit for Jasopels Pelting Robot	1.205,00
3285-00028980	Spare parts kit for Jasopels Flething Machine T4/T6	1.205,00
3285-00128980	Spare parts kit for Jasopels Slicing Machine T3	800,00
3285-00158980	Spare parts kit for Jasopels Body Hook T4/MaxiHook	340,00
3285-00188980	Spare parts kit for Jasopels Flething Machine T4/T11	205,00
3285-00348981	Spare parts kit for Jasopels WRAP Machine T4 Maxi Stretch	800,00
3285-00348982	Spare parts kit for Jasopels WRAP Machine T5 Maxi Stretch	675,00

SKINNING TABLE WITH CONVEYOR BELT

ITEM NO. 3210-187600

Price incl. Conveyor Belt EUR

5.400,00




The conveyor belt is controlled by a sensor so that there is always a mink ready at the outlet. This is highly time-saving for the skinning personnel. Incl. steering with sensor.

SKINNING TABLE

ITEM NO. 3210-187500

Skinning Table, wood, double, for 2 Body Hooks & 2 Skinning Machines, excl. Conveyor Belt



Price EUR

2.420,00





JASOPELS PELTING ROBOT XXL

Which features of the Pelting Robot XXL have been useful in your daily work?

First of all, precision. Precision which allows for efficient use of the whole fur. We can stop the work and remove the animal at any stage without any problems. This means that our employees are able to spot any imperfection at every stage of production. This minimizes the amount of damage. Taking into account that in a season we pelt about 40,000-45,000 units a day, it is a very important factor for us and our clients.

How does the operation of the equipment look like? Was special training required?

People, who work on the Pelting Robot XXL, have to be trained appropriately as this impacts their productivity. Practically anyone can start operating it and after two first weeks they can work at the pace of 80 units per hour. However, the productivity increases significantly with experience. After one season, an employee is able to handle an average of 100 units per hour. But this is not all. The possibilities offered by the Robot XL are very big. Most experienced record holders are able to achieve performance of about 130 males per hour. The machine is intuitive and ergonomic, which means that these results are achievable by appropriately qualified staff.

Is the equipment reliable? Does it provide you with the peace of mind that the whole work will be performed on time?

The machine is very easy to repair, which means that the equipment is being used practically all the time and there are no significant stops. The equipment uses simple solutions that are also easy to repair.

We appreciate the fact that, if necessary, the parts for the Pelting Robot XXL are available for immediate delivery, and the technical staff is able to respond to failures. Most failures are resolved by us. When they are more serious, we use the technical support from Jasopels.

It is no secret that an investment in such an advanced machine is not the cheapest. Is the equipment worth the money? Did you get return on your investment?

The equipment pays for itself only after two seasons; of course, this is realistic thanks to a large number of minks processed in a day, as well as during a season. Thanks to this investment, we increased the productivity, and minimised the costs. The Pelting Robot XXL is a product worth recommending.

- **Pelting of the biggest males**
- **One person performing the whole process**
- **Simplified operation**
- **High performance and speed**



Daniel Teodorczyk is a manager at Norpol Sp. z o. in Poland, a company who uses Jasopels Pelting Robot XXL. He bought the machine after comprehensive tests. He admits that, thanks to the machine, he increased the productivity and work comfort, while reducing the production costs. "The equipment pays for itself only after two seasons", he adds.

Your company develops year after year. Last season you process about 800,000 units more than in the previous one. Such a production scale requires investment.

That's why we needed equipment, which would allow us to increase productivity. Our company grows year after year and we need the best machines available on the market.

It's known that, when deciding on such a serious purchase, you cannot base your decision on information from catalogues or impressions from trade-shows, but you have to test the equipment yourself. How did Jasopels Pelting Robot XXL perform in such tests?

Our experience of using the Pelting Robot XXL started with several tests. The product performed very well in them. Then, we decided to purchase it and we have been very happy with the decision. Most importantly, we value the Pelting Robot XXL for its comprehensiveness, as it does everything from A to Z.

What are the benefits the equipment has given you?

Nowadays, we need 2-3 times fewer employees for this position than we did before, and at the same time we maintain the productivity. Thanks to the Pelting Robot XXL we save time, space and human resources.

To what extent do you use Jasopels Robot XXL?

We use it mainly to process males - this is the best and most convenient way. For us the average efficiency of the Robot is about 80 – 100 units per hour. An employee works on the machine as an operator, aiding the machine with the use of their muscle strength; however, these are not operations where the main "motor" is the strength of human muscles, making the employees operating it get better work comfort, which consequently impacts their productivity. There are almost no problems with processing large males by the latest model. This improvement increases the work efficiency. We also have practically no unintended stop, and even if they occur, they are marginal.

JASOPELS PELTING ROBOT XXL

ITEM NO. 3120-174002013

It is our great pleasure to present to you the Jasopels Pelting Robot XXL.

The Pelting Robot's appearance is the same but its insides have been much improved. We have taken the best features from the previous models and put them together with the market's best skinning technology from our Skinning Machine T11, so we now dare promise you that you can skin even the biggest males yourself, without any unwanted stops during the process.

The skinning process takes place by means of a more linear motion and the number of movable parts has been reduced so that

the machine is more user-friendly. We have installed a bigger display and loaded new software so your Pelting Robot XXL is ready to meet the challenges of forthcoming years – at least as far as size is concerned.

- **Improved skinning system, suitable for the largest animals**
- **Simplified operation**
- **Faster training**
- **New display with more functions**
- **Faster skinning and thus greater capacity**



TRAINING
Learn to achieve optimal quality using your Jasopels Pelting Robot XXL

Excl. skin conveyor, incl. conveyor belt

Price EUR
52.570,00

Technical data	
Process time	approx. 20 seconds
Electrical connection	3 x 400 Volt + ground/fault current switch type B
Air	600 l/min + minimum 8 bar
Outer dimensions	W: 1750 cm L: 1250 cm H: 3000 cm
Transport dimensions	W: 1750 cm L: 1250 cm H: 2300 cm
At connection to the robot, the RCD relay must be: ac/dc - 0,3 A, type B	



JASOPELS MAXIHOOK T5



NEW
Possible in both
left and right





MaxiHook gives you the possibility of changing the speed, so even the toughest skins remain intact. This helps making the rest of the skinning process much easier.

- **Pulls evenly and protects the skin**
- **Adjustable speed**
- **Optimized for larger minks**

Technical data	
Air	Max 8 bar; 2 l/cycle
Dimensions	L.: 130 cm H.: 66 cm W.: 50 cm
Electrical connection	230 Volt + I. + N + PE
Relay	Super resistant HPFI

Item no.	Product description	Price
3210-156001	Jasopels MaxiHook T5, universal	6.067,00
3210-156002	Jasopels MaxiHook T5, right	6.067,00
3210-156003	Jasopels MaxiHook T5, left	6.067,00



Self-adjusting impellers

Jasopels has developed a system that no longer requires you to adjust the impellers after installing new ones. The new Jasopels Fleshing Machine T6 adjusts the impellers itself based on the data that have been typed in on the user-friendly touch screen. The Fleshing Machine is therefore easy to operate for new employees and gives the user a good and regular result!

No mess

The new Fleshing Machine T6 has many good features, one of which is that the mess it creates is minimal. Thanks to the new closed suction box the fat from the fleshing device does not get the Fleshing Machine dirty and at the same time it keeps the impellers quite clean.

The effect is an easier work day for you, a better working environment and, what is even more important, a better and more regular fleshing result and a greater capacity.

TRAINING
Learn to achieve optimal quality using your Jasopels Fleshing Machine T6.

New technology makes changing of impellers amazingly easy!



Impellers
page 56+57

Sharpening
of impellers
page 59

- *Self-adjusting impellers*
- *Quick changing of impellers*
- *Shock absorption of the fleshing engines*
- *Adjustable beam speed*
- *4 variable fleshing zones, speeds and pressures*
- *Closed suction box*
- *Separate control cabinet*
- *Almost no cleaning*
- *Automatic travelling distance*
- *Possibility of presenting the speed of the fleshing engine*

Price excl. suction device EUR

107.435,00

Technical data	
Electrical connection	3 x 400 Volt + N + PE
Air	10 l/min and 8 bar
Dimensions	L.: 470 cm H.: 210 cm W.: 190 cm



Fast change of impellers

The newly-developed system in the Jasopels Fleshing Machine T6 can move the impellers out of the suction box using compressed air. This improves working conditions while changing the impellers and makes things much easier.

After the impellers have been installed, they are moved to the right position via the display and then they are automatically adjusted. An experienced employee can do all this in just 5-7 minutes.

Technical data

Electrical connection	3 x 400 Volt + N + PE
Power consumption	32 A
Air	10 l/min and 8 bar
Dimensions	L: 470 cm H: 210 cm W: 190 cm
Dimensions / cabinet	L: 60 cm H: 170 cm W: 40 cm





NEW JASOPELS FLESHING MACHINES T6 GUARANTEES RELIABILITY AND QUALITY

With two new reliable and high quality Jasopels Fleshing Machines T6 Bukholt Mink has increased its capacity.

In the pelting period Bukholt Mink has a flow of 150,000 skins from their own mink farm of 32,500 females.

- We pelt a lot of mink, but we have decided to have three fleshing machines. This means that we can close for the day already at 6pm, says Jens Bukholt, who admits that it is a bit a luxury but also a deliberate choice.

- The only thing I look at is what the skin looks like and whether the machine is reliable, he emphasizes.

Reliability was also one of the reasons why he bought two new Jasopels Fleshing Machines T6, which were released in November 2014.

- They are extremely reliable, and they have a little excess capacity, so in case of technical problems we still have good capacity to reach our goals by working a little extra, Bukholt says.

Easy handling

The machines were delivered in late October, and before the pelting season started for good, Jens Bukholt decided to test them with some animals from the freezer to see how they performed.

- They ran without any problems. It's simply wonderful that everything is so simple that even those who are not technically minded can work out what to do, he says with a laugh, and compares the machine's programmes to those of an iPad.

- They are easy to use and allow for the fact that we use the machines only four weeks a year, because when 11 months have passed, it's like starting completely anew, he says.

No need for minor adjustments

A noticeable difference in comparison with previous models, according to Jens Bukholt, is that there are very few breakdowns and hardly any need for adjustments and modifications.

- My older fleshing machine that is four years old is doing a good job, but with the new release I don't need to spend 10 minutes on adjusting the machine and 20 minutes cleaning it of grease in the middle of the day. With new T6s, we just put skins in and press a button. And it just runs without stopping, Bukholt says.

He also mentions the casing as an important feature.

- It is simply wonderful that there is no grease splashing in all directions, as in the older machines. It makes the daily cleaning process much easier. Here we can clearly see the benefit of the fact that fleshing takes place in a closed box and the fat is vacuum-removed, says Jens Bukholt and notes that the washing device has pleasantly surprised him.

- The washer is simply really well made. We have put 100,000 skins through the machine without changing the settings, he concludes.



JASOPELS FLESHING MACHINE T4 XL

ITEM NO. 3220-020400



Impellers
page 56+57



Sharpening
of impellers
page 59

It comes as no surprise that for decades the Jasopels Fleshing Machine XL has been praised as the best fleshing machine on the market. It performs a solid piece of fleshing work and it is quick, cheap to run and very reliable.

– This is why we have made it even better!

The big touch screen gives the operator quick overview and provides a chance to switch between the machine’s operating modes in an easy and manageable way. This allows you to achieve a more regular fleshing result even if your skin types are mixed!

Active Per4mance® is a system developed by Jasopels that makes it possible for you to change the beam speed and the impeller pressure of 4 independent zones. This allows you to adjust the machine precisely to your skins.

All impellers have been equipped with shock absorbers. In practice this means that the impellers stay on the skin, which results in a significantly better fleshing. At the same time the machine is a lot gentler when fleshing damaged skins!

- **Better fleshing**
- **Less risk of fat extraction**
- **Increased income**

Price excl. suction device EUR

53.380,00

Technical data	
Electricity	3 x 400 Volt + N+PE.
Air	10 l. / min. and 8 bar.
Dimensions	L: 440 cm H: 190 cm W: 100 cm

Tomasz Lelas, a mink breeder from Stopnica, runs a farm together with his cousin Hubert Kozłowski. With 9 years' experience in the business, they have been using Jasopels Fleshing Automat T4 for several months now. They agree that the investment in the equipment has been a qualitative leap in their company. "We have managed to limit the amount of greasy skins from around 40 percent to just 1", says Tomasz Lelas.

You have bought the machine at Jasopels quite recently. How has the Jasopels Fleshing Automat T4 been doing so far?

We have been using it for a few months. It was delivered in October and since then it has been working smoothly throughout the whole season. I must admit that we were surprised not only by the quality of fleshing, but also by the large number of setting options and its great precision.

This kind of equipment is a big expense for a farmer. It is an investment bound to bring greater profits in the future. Do you think that it will earn its keep?

Definitely. And I am saying it now, after I saw the results of the auctions where we sent skins fleshed with the new machine. Before, we had many greasy skins because our old device could not handle it anymore. Around 40% of our product was qualified as greasy. Now this relation has changed completely. For each 1000 fleshed skins only 10 are greasy, that is approximately 1%. That has been a qualitative leap, especially in case of males.

What made you choose Jasopels equipment?

Our previous fleshing machine was very old and too little. We saw Jasopels Fleshing Automat T4 for the first time during a fur exhibition in Gądko. We were checking different devices at that time. T4 is not the most recent version of Jasopels Fleshing Automat T4, but it is perfect for the amount of skins we process. It simply has the best price vs. quality for us. We could go for an older model at Jasopels, whereas other suppliers only promoted their latest solutions, which we found incompatible with our needs.

How many skins do you process yearly?

This has been a unique season as we also processed skins from a neighbour's farm, so all in all the machine fleshed over 20.000 skins, out of which 15.000 were ours.

Did you come across any problems, when it comes to the machine's operation?

No, the machine has been working with no failures or breakdowns, except for a few errors that occurred in the beginning. A service technician fixed them immediately on the phone. In one case e.g. it was too low temperature in the room that turned out to be the cause of a problem.

What problems did you manage to eliminate with the new device?

Our previous fleshing machine was more than 20 years old. We attempted to change the settings a few times, but it would not work properly as evidenced by the high percentage of greasy skins. First and foremost, the machine was too short. We could hardly flesh females with it, not to mention bigger skins. It was completely unsuitable for males.

Does the work go faster with the new machine?

It is more effective, for sure. Before we had to put an extra employee who took the skins off at the back. It is not necessary anymore with our T4. The efficiency of the machine itself is also much higher. Electrically operated beam runs faster and more smoothly. We do not have a large drying room, so we were not so much into speed, but we consider it an asset that the machine can flesh even 150 – 180 skins in an hour.

The machine is quite high tech. Is it also complicated to learn how to operate it?

Certainly not. All the settings are configured easily. The menu is transparent and there are no operational problems. It takes two days to master everything, as it was in our case.

Would you give any advice to those who are planning to buy a Jasopels Fleshing Automat T4?

Jasopels offers an appropriate training when you buy a machine. A service technician will give you all the instructions regarding the use, maintenance or parts exchange. The rest must be tested in practice, as skins are fleshed well only with the appropriate settings and this is an individual thing. I recommend checking closely the first few skins after the settings have been changed and amending the parameters on a daily basis.

Do you consider this investment to be a good decision?

Yes, of course. If you want to keep ahead of competition and make the best product, you must invest in the new machines. Today I would make the same choice and I would not hesitate to recommend this Jasopels Fleshing Automat T4 to other breeders. This is our first purchase at Jasopels and having some good experience with T4, we are planning next ones. We are considering buying a slicing machine and a stretching machine. I think we will continue to cooperate with Jasopels, not only because of the service; as it is convenient to have equipment of the same brand. What is important to us, is the quality of contact with Jasopels agents, who are always available and ready to help us.



JASOPELS ROTATING FLESHING MACHINE 4000 XXL

ITEM NO. 3310-1002

Jasopels rotating fleshing machine 4000 XXL with 2 impellers.

- *One of the best, most reliable rotating machines on the market, the Jasopels Fleshing Machine has the following features:*
- *Double Jasopels rotary impellers fitted with XXL beams to ensure that even large skins are perfectly fleshed*
- *Touch screen and frequency controller that facilitates operation and changing the settings*



Price EUR
20.935,00

Technical data	
Size.	Length: 238 cm. Breadth: 125 cm. Height: 184 cm.
Air use -	5l/min.

Item no.	Product description	Price
3391-1201	1 Impeller 100 mm	*
3391-1200	2 Impeller 100 mm, hard, yellow	*
3391-1105	3 Tail clamp for the machine	*
3391-1250	4 Paw hook for Rotomax and Jasopels Rotary Fleshing Machine 4000 XXL	*
3391-1108	5 Fleshing machine cord	*
3330-10010	6 Vacuum suction device, 2BH1600-7AH16,3 kW, for a single rotating fleshing machine	1.720,00



JASOPELS FAT PUMP

ITEM NO. 3220-800218

Pumps the fat directly to an external container. The fat is pumped to the container through a hose. The machine can pump the fat up to 20 meter horizontally – it all depends on the bend.

Technical data	
Electricity	3 x 400 Volt + N+PE, 2,2 kW
Connection	CEE 16
Dimensions	L.: 150 cm H.: 200 cm B.: 90 cm

Item no.	Product description	Price
5013-245008	BoWex M 38 nylon ratchet	*
5260-11609990	Muffler - Transfer Ø160x990	*

Price EUR
7.420,00

Incl. blower and cyclone. Mounted on a stand.




A new series of Jasopels impellers is on the market. Thanks to the brand new wave pattern that we call the MotionWave, Jasopels has once again succeeded in taking effective fleshing to the next level. The new impellers have deeper grooves that can carry more fat, helped along the way by the moving cutting motion.

On top of that the new impellers are sharpened in a brand new way, thanks to which they have a considerably sharper profile than other known products. The new impellers come in various versions – with 7, 8, 9 or 11 teeth. Of course, we still produce the 8-tooth impeller with a traditional pattern and deeper grooves for easier fat removal.

Shore	Hardness	Color		Item no.	Tooth	Hard Core	Type	Advice for use	Price EUR
70	Very soft	Black		3272-00026272	8 tooth		Straight impeller	Preferable for very delicate females	94,50
				3272-00026333	8 tooth		Waved impeller		94,50
75-78	Soft	Yellow		3272-00026385	8 tooth	Yes	Waved impeller	Preferable for old females Very delicate types	94,50
				3272-00026379	8 tooth		Straight impeller		94,50
				3272-00026339	8 tooth		Waved impeller		94,50
				3272-00026383	9 tooth		Waved impeller / front legs		67,50
				3272-00026500	11 tooth	Yes	Waved impeller / T6		135,00
				3272-00035052	11 tooth		Waved impeller / T6		135,00
80-82	Ordinary (Not soft / Not hard)	Blue		3272-00026378	7 tooth		Waved impeller / front legs	For delicate males and normal females	94,50
				3272-00026386	8 tooth	Yes	Waved impeller		94,50
				3272-00026337	8 tooth		Waved impeller		94,50
				3272-00026336	8 tooth		Waved impeller		94,50
				3272-00026501	11 tooth	Yes	Waved impeller / T6		135,00
				3272-00035053	11 tooth		Waved impeller / T6		135,00

JASOPELS IMPELLERS



Shore	Hardness	Color		Item no.	Tooth	Hard Core	Type	Advice for use	Price EUR
84-85	Ordinary + Harder than ordinary	Turquoise		3272-00026350	7 tooth		Waved impeller / front legs	For normal males and tough females	94,50
				3272-00026338	8 tooth		Straight impeller		94,50
				3272-00026335	8 tooth		Waved impeller		94,50
				3272-00026387	8 tooth	Yes	Waved impeller		94,50
				3272-00035054	11 tooth		Waved impeller / T6		135,00
				3272-00026502	11 tooth	Yes	Waved impeller / T6		135,00
88	Hard	White / clear		3272-00026332	8 tooth		Waved impeller	For tough males that are difficult to flesh	94,50
				3272-00026388	8 tooth	Yes	Waved impeller		94,50
				3272-00026503	11 tooth	Yes	Waved impeller / T6		135,00
				3272-00035055	11 tooth		Waved impeller / T6		135,00
95	Very hard	Red		3272-00026389	8 tooth	Yes	Waved impeller	Used on the back of very tough males	94,50
				3272-00026504	11 tooth	Yes	Waved impeller / T6		135,00
100	Real hard	Pink		3272-00026390	8 tooth	Yes	Waved impeller	For males who cannot be fleshed with the red impeller	94,50
				3272-00026505	11 tooth	Yes	Waved impeller / T6		135,00

SPARE PARTS FOR FLESHING MACHINE



Item no.	Product description	Price
3272-00021220	1 Rubber for Sawdust automat, shore EL80/82	*
3272-00021223	2 Rubber for Sawdust automat	*
3272-00021208	3 Rubber for beam 65mm, yellow set	*
3272-00021209	Rubber for beam 75 and 65 mm, yellow set	*
3272-00021230	3 Beam scraper, rubber, short 50x90 mm shore EL 95	*
3272-00021231	Beam scraper, rubber, long 50x110 mm shore EL 95	*
3272-00021232	Beam scraper, rubber, extra short 50x75 mm shore EL95	*
3272-00025946	4 Rubber for fat suction, yellow set	*
3272-00025947	5 Rubber for fat suction, with installation plates, yellow set	*
3272-00022420	6 Rubber for scraper, beam washer, sharpened green set	*
3272-00022419	7 Rubber for scraper, beam washer, sharpened black set	*
3272-00024089	8 Rubber for scraper/skin, green set	*
3272-00024091	9 Rubber for scraper/skin, yellow 5x40x180, shore85-90, 4 pcs.	*
5911-52283211	10 Valve 3/2 1/8 air/spring	*
5911-5023051225	11 Magnet coil 240V/50Hz for M pilot MB25	*
5912-32040050	12 Cylinder VDMA Ø40x050	*
5911-5228521101	13 Valve 5/2 1/8 air/spring	*
5110-00022445	14 Rubber block for skin remover	*
5110-00024095	15 Spring 105mm scraper/skin	*
5110-00024096	Spring 95mm scraper/skin	*
5110-00035101	16 Beam T3 XL complete, 140x129x2260 mm	*
5110-00031058	17 Bracket for chain for the slide	*
5110-00031059	18 Chain brackets on sledge	*
5110-00031060	19 Jaw fittings on sled galvanised (ash)	*
5110-00031061	20 Jaw fittings on sled galvanised (Skin remover)	*
5923-14002220	21 Inductive switch pnp shielded no. M18	*
3285-00028980	22 Spare part kit for Jasopels Fleshing Machine	*
5290-23005002	23 Water nozzle for beam washer, Kynar Venjet Nozzle	*
5290-23072715	24 Air nozzle for beam washer, WindJet ABS plastic	*
5110-00026000	25 Fleshing engine 3 KW	*
5110-000362875	26 Shock absorber for Jasopels Fleshing Machine, speed control	*

SHARPENING OF IMPELLERS



At Jasopels we can also sharpen your impellers.

As the only market provider we carry out 3 stages of diamond grinding (coarse, medium and ultrafine) Before we grind, we take a 3D measurement of the impeller. This is a guarantee of a perfect finish and no uneven surfaces. We grind in match, so the diameters remain the same.

We grind impellers from all manufacturers.

Contact us to get a price.

Tel. 98 42 05 66 or info@jasopels.dk

ATTENTION: Remember to clean the impellers before shipping. Not cleaned rolls are rejected and returned untreated because of infection risk.



JASOPELS SAWDUST



- *A new, improved sawdust product*
- *New, state-of-the-art production facility opened in January 2011*
- *Available in two kinds: 50 mix and 60 fine*
- *Delivered on pallets with 36 bags each*

Buy now and get a substantial discount.

Item no.	Product description	Price
3010-01007	Jasopels sawdust, type 50 mix	*
3010-01008	Jasopels sawdust, type 60 fine	*



JASOPELS WRAP MACHINE T5 MAXI STRETCH

Konrad Piwoński, a farmer and co-owner of Kozfur Sp. z o.o. in Poland, uses Jasopels WRAP Machine T5 Maxi Stretch. "After completing tests on the farm, we see that there's a chance of stretching a few percent longer skins when using Jasopels WRAP Machine T5 Maxi Stretch", says Konrad Piwoński.

As mink breeders, you went to using machines for the production processes a long time ago. You are using the latest solutions. Was WRAP Maxi Stretch a technological leap for you?

At present, the machine grabs the skin from four sides, holds it and pulls at the same time. When it's getting stretched, the skin is automatically processed. Such facilitation was unheard of in the past.

How much time have you saved thanks to Jasopels product?

Based on my example and experience, I can say that the latest solutions, like WRAP, reduce the processing time by half. Without machines, the stretching of the skins was a hard and time-consuming process. In the past we had to do it manually using wooden boards. Later, we introduced first machines, and processing was based on two-sided stretching technique - first the back, then front and tail. It took a long time. Then, latest machines, like WRAP and other machines performing all the steps, started to be introduced.

However, WRAP Maxi Stretch is not only making the work easier. Kozfur's example shows that Jasopels solutions improve skins' specifications.

Many breeders are hesitant to introduce Jasopels' stretching machine. They say that it's slower than other solutions. They are somewhat right, but for most breeders the speed of work is not the only important factor. You should also pay attention to the stretching precision and size of the skin obtained.

What were the results of testing at Kozfur?

Very good. We are able to stretch the skins by a few per cent, at least one size. We could not get such results on the previous machines. It must be remembered that the skin's length is the most important. This specification directly translates into profit and allows for savings throughout the production cycle.



Have you checked how the latest technology translates into the final result?

It's a massive gap. Even if Jasopels WRAP is slightly slower, we are able to stretch several more skins on it than we were able several of years ago. Apart from that, the drying process is quicker.

Is WRAP easy to use?

Yes, even very easy.

Have you tried yourself?

Certainly. As in case of any machine, you need a few days to become proficient at using it. Operating WRAP is not a big problem. Working with minks was one of the most difficult jobs in Poland even twenty years ago. Nowadays, with the use of Jasopels machines, it's much easier. With such automated solutions, it is not a problem to find people willing to work with minks. Employees definitely appreciate all the changes that help to reduce the effort needed.

Can you imagine going back to the previously used solutions?

Without the machines, we would have reverted to the Stone Age. I doubt that people, who do pelting nowadays, would want to perform their jobs in the manner we used to work in the 90s. I think that 90 per cent of the team would resign.

How long have you been doing this kind of business?

We established the company in 1995, so we have been breeding minks for 20 years. It's been a long time - I haven't even noticed the time passing.

Where did you get the machines you used first?

The first machines and necessary equipment was brought from The Netherlands. We have learned everything there. I and my friend worked on breeding farms, and when we returned we came up with an idea to open our own mink breeding farm. Initially it was difficult to buy the equipment in Poland, because it was quite a new field. People heard about mink breeding, but such breeding was not at all popular.



- Selection of parameters depending on the skin
- "Pull and release" method
- Optimal skin stretching
- Quick switching between skin types

JASOPELS WRAP MACHINE T5 MAXI STRETCH

ITEM NO. 3230-340015

TRAINING
Learn to achieve optimal quality using your Jasopels WRAP Machine T5 Maxi Stretch

With the latest programming update, the stamp-function has been replaced by a more gentle, uniform stretch to ensure that the skin reaches its maximum size without traces of jaw-marks, stretch lines, or hair loss. The skin is stretched from nose to tail in a uniform and efficient stretch.

Ideal results are achieved when used together with the new Easy Off XL Board, as the board contains a magnetic chip that the stretching machine can recognize and thereby automatically makes sure that the stretched skin is entered correctly into the statistics.

Dynamic Force ensures optimal skin

With Dynamic Force®, you are ensured that your skins are stretched optimally, as the system adjusts to each individual skin during the stretching.

In short, the way the system works is that the Jasopels WRAP Machine T5 Maxi Stretch measures the skin, and the machine's force is then adjusted accordingly. This means that a skin measuring size 0 before stretching is not exposed to as much force during stretching as a skin measuring size 2 x 0, because the largest skins can handle the application of greater force.

Stretch'n'release function

When a skin does not stretch to the next size, there is no reason to keep it stretched to its outermost limit. In these cases, the Jasopels WRAP Machine T5 Maxi Stretch can automatically relax the force a bit, so you are given an optimized relationship between size and quality.

Jasopels WRAP Machine T5 Maxi Stretch has the lowest operational cost on the market!

- **Quick changes between skin types via 8 different programs**
- **Quick, easy, and economical**
- **Soft function for damaged or vulnerable skins**
- **Adjusts force and tempo to each individual skin**
- **As the only pinning machine on the market, our pinning machine distinguishes between XL boards and standard boards**

Price EUR

32.420,00



Technical data

Air	40 l/min and minimum 8 bar
Electrical connection	230 Volt + PE
Relay	Super resistant HPFI
Dimensions	L.: 80 cm H.: 125 cm W.: 80 cm

SPARE PARTS FOR JASOPELS WRAP MACHINE T5 MAXI STRETCH



3030-01025
Wrap foil 50 mm fits both female and male



3050-01057
Knife for WRAP



3050-010560
Razor for WRAP knife



5160-00346130
Rubber for knife – WRAP 15 x 25



5160-00346136
Knife blade for WRAP T4



5160-00346605
Wheel with rubber coating



5160-00346850
Tension roll – blue



5160-01340354-02
Roller for shaft guide, black driving roller



5923-44003310
Photo sensor Omron 25 x 11 x 8



5923-44003311
Reflective block/tape for 5923-44003310



5290-1251506
Vibration muffer KG
Ø25x15mmx6x16



5160-00346120
Backstop for knife



5911-37072030130
Valve 5/2 bistable Ø6 HDM



5911-30227301302
Intermediate plate blind HDM



5911-37072030530
Ventil 2x3/2 NC Ø6 – HDM



EASY OFF BOARDS

Konrad Piwoński, a farmer and co-owner of Kozfur Sp. z o.o in Poland uses Easy Off Boards from Jasopels. Having twenty years of experience in the industry, he does not hesitate to say that so far “these boards are the best available”. “Drying is quicker, and skins are in a much better condition”, he emphasizes.

There are many Jasopels products and solution on your farm. How long have you been using them?

We were already using their products, when there were no Jasopels representative in Poland. One of our first Fleshing Machine was made by Jasopan, a company which has been part of Jasopels since 2003. We still have and use these machines. Even the first machines we got still work perfectly. The only problem we have now is that they became too small for us.

Why?

The reason is prosaic – the animals got bigger. Hence, the skins are bigger and better equipment is needed to process them. It’s obvious that machines had to get bigger as animals got bigger. For example, fleshing machines could have been shorter in the past, but today they would just not work for us. The boards had to change as well.

And you decided for such an investment in Kozfur. You changed the system and bought the Easy Off Boards. Was it a difficult decision?

Certainly. We were afraid of the cost. The change from the production using wooden boards to the process using plastic boards meant that we had to change machines stretching the skins on boards, as well as adapt the drying room. I admit that we took a long time to consider all advantages and disadvantages.

What factor prevailed?

There were a few, but the key one was the development of our company. We wanted our pelting process to be of the highest quality. We considered various options, but the size of our mink farm meant that Jasopels Easy Off Boards turned out to be a good option.

Which features of the Easy Off Board were the most important for you?

First of all, the drying time is significantly shorter than in the case of wooden boards. This is the principal advantage we notice when using the boards. They are also much better than the competitors’

solutions as they are more convenient - the skin comes off them easier. If you compare and measure the available boards, it turns out that the standard expansion between closed and open boards is about 6 millimetres. This measurement is 10 millimetres for the Easy Off Boards we bought.

Do these four millimetres of difference have such an impact on the daily work?

Initially we thought the same - “as few as” four millimetres, but in practice they were “as many as” four millimetres. Thanks to that the work is easier more convenient and faster. Additionally, there are fewer damaged boards in the whole process. This is not only our opinion. Our employees have also noticed it.

How much time it takes for the investment to pay for itself?

It depends on the production size. This is certainly an individual matter for every mink breeder.

You decided not only to buy the boards, but also to comprehensively modernise the plant at this stage of processing the skins.

We not only replaced the boards on a scale of one to one, but also replaced parts of the drying room. The boards are complemented by a drying installation with appropriate trolleys used for plastic boards.

In your opinion, how has the work changed since you bought the first Jasopels boards?

We use the trolleys I mentioned for the Easy Off Boards. Previously, when we used wooden boards, we had to have ceiling-mounted modules with hooks. We put the wooden boards on them. This was a tiring and time-consuming process. We had to attach the skin using rivets, and then it was stretched manually. We tried using machines in our old stretching system, but they did not perform that well, as the skins were getting damaged. When using the Easy Off Boards, the skin comes off with a single pull. It also dries quicker and there are fewer damages. The whole operation is not cheap, but definitely worth the money. We are gradually switching to Jasopels boards.

- **Shortens the drying time**
- **Facilitates pulling the skin off**
- **Are made of plastic**
- **10 mm expansion between an open and closed board**



JASOPELS MAXI TROLLEY

ITEM NO. 3450-2776



- *MAXI drying box for up to 200 boards*
- *Rotating wheels in each corner*
- *Can be supplied with blowers in the drying box*
- *Can be connected to an existing drying installation*
- *Adapted to automatic skin removal*
- *Easy to operate*

With blower and timer, price EUR

1.485,00

Technical data	
Electricity	230 Volt 1P + n+PE, 0,25 kW
Connection	CEE
Dimensions	L: 195 cm H: 100 cm W: 85 cm

AUTOMATIC MAXI ROUND PLATE

ITEM NO. 3450-27755



Place the board in the round plate and move it to the Jasopels WRAP Machine T5 Maxi Stretch.

Price EUR

2.030,00

Technical data	
Dimensions	Ø 85 cm H: 90 cm

EASY OFF BOARDS

**LOOSEN THE SKINS
FAST AND EASY**

The new, successful Easy Off Board is produced in four different types: two regular for male and female, and two XL that are 12 cm longer. Easy Off Board is the most expanding board on the market and ensures that the previously labor-intensive task of loosening the skins has become quick and easy.

The board's shape with strategically placed barbs ensures that the skins are fixed effectively and maintain their length. The air ducts simultaneously ensure that the skins dry evenly and effectively.

- **Simple construction - robust, durable, and easy to use.**
- **10 mm expansion**
- **New XL board + 2 sizes compared to traditional board (12 cm)**
- **Contains magnetic chip that Jasopels WRAP Machine T5 Maxi Stretch can read**
- **Easy Off Board is suitable for all standard systems**

Item no.	Product description	Price
3020-01210130	1 Jasopels female board, Easy Off Board XL Length without foot 113.5 cm	16,25
3020-0121012	2 Jasopels female board, Easy Off Board Length without foot 101.5 cm	10,68
3020-0121013	3 Jasopels male board, Easy Off Board XL Length without foot 132 cm	20,30
3020-0121011	4 Jasopels male board, Easy Off Board Length without foot 120 cm	11,35



SLEEVES

Super quality paper. Individual solutions with larger orders.

The Jasopels sleeves are available in several lengths in great quality, which makes it easy to find a sleeve that suits your needs.

Item no.	Product description	Price
3030-01016	1 Sleeve Jasopels, female 81 cm, 2013 pack of 500	*
3030-010160	2 Sleeve Jasopels, female 86 cm, 2013 pack of 500	*
3030-010162	3 Sleeve Jasopels, female 95 cm, 2013 pack of 500 Fits Jasopels female stretch board XL	*
3030-01011	4 Sleeve Jasopels, male 95 cm, 2013 pack of 500	*
3030-010120	5 Sleeve Jasopels, male 100 cm, 2013 pack of 500	*
3030-0101200	5 Sleeve Jasopels, male 100 cm pack of 500 Ekstra strong quality	*
3030-010121	6 Sleeve Jasopels, male 112 cm, 2013 pack of 500 Fits Jasopels male stretch board XL	*



JASOPELS SKIN CLEANER AUTOMAT T5 ENSURES THE NECESSARY LAST TOUCH

Thanks to the Jasopels Skin Cleaner Automat T5 by Jasopels, the breeder Tommy Hangaard may considerably reduce workload and increase quality.

Tommy Hangaard is a mink breeder with passion who, just like a judge, focuses on every detail, thanks to which he may get the best out of his skins.

- For me it's important to do everything I can to provide Copenhagen with the best possible product – highlights Tommy Hangaard.

Last season he used Jasopels Skin Cleaner Automat T5 to introduce the last necessary alterations to 15.000-18.000 skins supplied to the Pelting Center, deriving from 3.800 females bred at his farm.

- The new machine softens and cleans the skins better than the old system. I think the brushes fitted on the machine works better. I have the impression that they raise the hair on the fur, recommends Tommy Hangaard.



Lower workload required for skin cleaning

Previously the skins were cleaned with a brush and softened separately.

- With the Jasopels Skin Cleaner Automat T5 we need much fewer employees when we prepare the skins for auction. Now just one person stands by the machine and I attach the labels with the bar-code, explains Tommy Hangaard.

After Christmas the Pelting Center is involved in preparing and packing the skins.

- We start working at 6:00 a.m. and pack the skins before dawn. Then we go to the farm. Using the Jasopels Skin Cleaner Automat T5. We finished early this year, mainly because the machine is very fast, says Tommy Hangaard.

Better skin assessment

The skin cleaner is fitted with a large suction device which is in fact just a grain blower with a reverse application. The air flows through a filter bag that stops dust and sawdust.

- The Jasopels Skin Cleaner Automat T5 does a whole lot of work, thanks to which both the leather side and the hair coating side are cleaned of sawdust more efficiently, explains Tommy Hangaard.

The process largely contributes to introducing the last touch that is important for the grading of the skin.

- I think the Jasopels Skin Cleaner Automat T5 obtains higher prices and better marks for my skins. A skin being soft and pleasant to the touch achieves better results during the grading process. I have no doubt about that, adds Tommy Hangaard.



JASOPELS SKIN CLEANING AUTOMAT T5

ITEM NO. 3230-540001



3230-540403
Skintray

Price EUR

20.260,00

Excl. suction device, cyclone and installation

The Cleaning Automat cleans the skins, softens them and makes them ready for delivery. The wool and hair are cleaned and get a "lift".

The remaining sawdust is loosened and removed from the skin. The blowing system then blows air inside the skin so that the leftover sawdust and dust is removed, all in one complete cycle. With its high capacity, this machine is a real time saver and skin im-

prover. The Skin Cleaning Automat gives the skin the optimal look.

The Skin Cleaning Automat T5 is 20 cm bigger. There are now 2 skin holders instead of 1, which increases the speed.

A suction unit that removes sawdust and dust directly to the container needs to be installed.

Item no.	Product description	Price
5250-1210400	Kongskilde suction fan 4,0 kW, 400 vac, 50 Hz	1.345,00
5250-1210600	Kongskilde suction fan 5,5 kW, 400 vac, 50 Hz	1.879,00
3230-540401	Pipe set and Kongskilde suction fan 4,0 kW	2.710,00
3230-540402	Pipe set, cyclone and Kongskilde suction fan 4,0 kW	3.365,00

Technical data	
Electrical connection	3 x 400 Volt + PE
Air	268 l/min and 8 bar
Dimensions	L.: 200 cm H.: 160 cm W.: 90 cm

JASOP

Fodercentral Service A/S

Total supplier for mink feed kitchens

Exclusive distribution of CFS/
Wolfking feed kitchen machines

Petsmo mink feed tanks


DME Weighing systems for
mink feed tanks

New and renovated pumps
manufactured specifically for
mink feed

Forging and machine shop

Individual solutions in stainless
steel

Wide range of second-hand
feed kitchen machines and
mink feed tanks



JASOP

Fodercentral Service A/S


Jasop Fodercentral Service A/S | Knivholtvej 7 | DK-9900 Frederikshavn
Tlf. + 45 98 43 05 66 | Fax + 45 98 43 59 77 | E-mail: info@jasop.dk

JASOPELS Q-VEX CLIMA

ITEM NO. 3410-82002005

- *For precise control of humidity and temperature in the drying room, especially with MAXI Trolley*
- *Optimal humidity and temperature control*
- *The machine will make sure the skins are dried correctly*
- *Built-in hygostat and thermostat, humidity unit and heating unit*
- *Easy installation – all in one unit*
- *The machine only requires the connection of electrical power, water, a ventilation pipe and compressed air*

Technical data	
Dimensions	W.: 60 cm H.: 183 cm D: 60 cm
Air quantity	16.060 m3/hour
Heating element	9 kW
Weight	125 kg
Electrical connection	400 Volt, 16 A
Waterworks water	Normal
Compressed air	Minimum 5 atm



Price excl. installation EUR

10.795,00

Q-VEX CLIMA COMPACT HT FRIDGE

ITEM NO. 3410-82004160

Q-VEX Clima Compact HT Fridge. Rebuilding with Fridge.



Price excl. installation EUR

1.960,00

HUMIDITY UNIT

ITEM NO. 3440-0500

Humidity unit for storage and drying room, with hygostat. Very efficient, with 2 nozzles.



Price excl. installation EUR

2.560,00

JASOPELS STORAGE UNIT

The Jaspels Storage Unit is designed to be installed in the storage room. It maintains a temperature of between 10 and 12°C and a humidity of 75-80%.

The unit consists of a fan, a cooling unit, a humidity unit, sensors and an electronic control unit.

ITEM NO. 3420-84000500

Until 120 cubic meters, excl. installation, EUR

13.500,00

ITEM NO. 3420-84000600

Until 240 cubic meters, excl. installation, EUR

17.560,00

JASOPELS SOFT BRUSH

ITEM NO. 3140-1740039999



Pris EUR
8.095,00

Cleans and brushes skins in a single procedure. The Soft Brush is easy and fast to use and makes the skin ready for delivery with optimal appearance. Wool and guard hair is given a lift, so the skins appear presentable and ready for evaluation.

- **Easy and fast to operate**
- **As an optional addition, a suction device that removes sawdust and dust from the skin can be installed**
- **Wool and guard hairs lifted**

Technical data

Electrical connection	3 x 400 Volt + N + PE, 1,5 kW
Air	50 l/min. and 8 bar
Connection	CEE 16
Dimensions	L: 250 cm H: 130 cm W: 90 cm

JASOPELS SKIN CLEANER T3

ITEM NO. 3230-522000




Price EUR
1.350,00

Thanks to using three brushes, one on the top side and two at the bottom, this machine does a very good job removing small pieces of loose dirt from the pelt and softening it.

Technical data

Electrical connection	3 x 400 Volt + PE
Air	1 l/min and 8 bar
Dimensions	L: 55 cm H: 63 cm W: 28 cm



JASOPELS QUICK SOFTER 4M AUTOMATIC

ITEM NO. 3140-174004001



5911-37001000710
Valve 5/2 - MEV 25 ASS 00

- Automatic processing
- Moulded reels
- Extra strong piston
- Skins are blown through

Price EUR

2.015,00

The Quick Softer 4M is a machine with a great capacity. The machine softens the skin after drying. The skin is placed on the machine manually, after which the Quick Softer pulls the skin through a set of rolls that soften the skin on the leather side.

Technical data	
Air	0-10 bar
Dimensions	L.: 220 cm H.: 22 cm W.: 35 cm

JASOPELS LABEL MACHINE T2

ITEM NO. 3232-620010

The label Machine has a label magazine that can use all types of labels.

Technical data	
Air consumption	0,75 l./min – 8 bar
Dimensions	L.: 41 cm H.: 34 cm W.: 34 cm



3040-01010
Senco Staples B05 / 8mm.



5160-00311061
Tension spring 0,3x3x130



Price EUR

3.365,00

Item no.	Product description	Price
3330-1225	Screw compressor 7.5 kW Reno Monzun 10 HK 270 liter container & cooling dryer	*
3330-1226	Screw compressor 11 kW Reno Monzun 15 HK 270 liter container & cooling dryer	*
3330-1227	Screw Compressor 15 kW Reno Monzun 20 HK 500 liter container & cooling dryer	*
3330-1235	Compressor Reno 5.5 kW 7.5 HK 200 liter container	*
3330-1305	Compressor KGK 300-7522 Eff. air w/8 bar 680 liters	*
3330-1308	Screw Compressor 10 HK - 300 liter tank, with cooling dryer, eff. air 860 liters w/10 bars	*
3330-13080	Screw Compressor 15 HK - 300 liter tank, with cooling dryer, eff. air 1340 liters w/10 bars	*
3330-1331	Cooling dryer DRY18, up to 1800 liters/min	*

Please call for details and prices.



AVOID PROBLEMS WITH AIR AND WATER IN THE PELTING CENTER

There is no doubt about the importance of having enough air in the pelting center. It is unfortunate when operational errors occur during pelting due to pressure loss. Another stumbling block is when condensation gets into the valves and engine.

The lack of air usually triggers just a short break until the pressure is regained, whereas water in valves and engine can be more time consuming and more expensive!


If you are looking into switching your compressor, Jasopels recommends purchasing a screw compressor for numerous reasons.

They have a significantly higher performance rate, they are quieter compared to reciprocating compressors, and most importantly - they have an integrated cooling dryer that removes any condensation that forms naturally inside the tubing during temperature fluctuations.

If you have a newer conventional reciprocating compressor you do not want to replace, you should in any case seriously consider supplementing with a cooling dryer. It is an inexpensive insurance against operational interruptions and costly repairs.



SKIN TAGGING

Item no.	Product description	Price
3070-02002	1 Skin tagging gun, economic	26,35
3070-020020	2 Needle for skin tagging gun	6,45
3070-020021	3 Skin tags, 13 mm, for Mark II, 1000 pcs.	8,90



VACCINATION

Item no.	Product description	Price
3070-01040	1 Vaccination gun, Shooter 2 ml.	33,65
3070-01045	2 Cylinder and gasket for Shooter	10,20
3070-01046	3 Bottle holder for Shooter	17,20
3070-01043	4 Tube system and bottle holder	12,45
3070-01044	5 Quick lock (metal)	6,10
1260-11150	6 Nail scissors, model 7803	25,00



FLEA CONTROL




Item no.	Product description	Price
1210-03101	1 Permaforte, 10 l.	280,00*
1210-03100	2 Bioinsect, 750 ml.	23,65*
1210-01100	3 Loppex, 5 kg	112,85*
1210-01102	4 Dimilin, 5 kg	207,00*
1211-0110410	5 Fly poison, Agita WG, 1 kg	182,50*



* Including Danish taxes

FARM ARTICLES

Item no.	Product description	Price
1251-01280	1 Bags for disposal, clear	3,00
3070-02040	2 Stackable packaging box, white	26,30
1261-10001	3 Scales, without holder, 0-30 kg	580,00
1231-02114	4 Cage numbers with bar code, 50 pcs. per sheet	9,80
1230-01224	5 Breeding cards, male, 1 year	0,10
1230-01204	6 Breeding cards, female, 1 year	0,10
1230-01252	7 Cards for puppies	0,10
1230-01210	8 Breeding cards, 4 years	0,10
1261-12101	9 Feeding spoon	32,30





Item no.	Product description	Price
3050-010610	1 Knife, Gillette, regular	5,40
3050-01060	2 Knife blade, Paragon no. 23, small	0,40
3050-01050	3 Knife, Dick model 2259-6	13,30
3050-01051	4 Knife, Dick model 4070-4	13,40
3050-01115	5 Paw scissors SX 10	59,50
3050-011150	6 Cutting edge for scissors SX 10	33,65
3050-011151	7 Stopper for SX 10, nylon	3,18
3050-01071	8 Manual flesher with two handles	100,00
3050-010750	9 Knife f/tail flesher with counterweight, 5 pcs.	6,70
3050-01080	10 Rapid steel action	112,85
1260-01103	11 Moving trap, 5 x 5, with new locking fastenings	20,00
1260-02102	12 Catching trap, wire, 1 x 1	18,20
1260-10102	13 Catching net with steel frame	63,40
1260-11101	14 Catching tong/pliers, female	57,50
1261-13102	15 Farm rake, Galax, 15 teeth, adjustable	46,60
1261-13101	Farm rake, 16 teeth, width 60 cm	46,60
3050-011500	16 Plastic bag, clear, 60 x 120 super strong	0,75
3393-1000	17 Bucket holder with 3 wheels	270,00



GLOVES

Item no.	Product description	Price
1240-01004	1 Glove, no. 178, right	33,65
1240-010040	Glove, no. 178, left	33,65
1240-01005	2 Glove, no. 178, right, women's	33,65
1240-010050	Glove, no. 178, left, women's	33,65
1240-01007	3 Glove, no. 179, xx large, right	49,35
1240-010070	Glove, no. 179, xx large, left	49,35
1240-01001	4 Glove, no. 183, right	24,18
1240-010010	Glove, no. 183, left	24,18
1240-01002	5 Glove, no. 185, right	50,80
1240-010020	Glove, no. 185, left	50,80
1240-01008	6 Glove, no. 562, right	23,65
1240-010080	Glove, no. 562, left	23,65
1240-01010	7 Glove, no. 563, right	31,75
1240-010100	Glove, no. 563, left	31,75
1240-01051	8 Welding glove, 5 fingers, no. 663	8,24
1240-02027	9 Working glove, Europa	10,67
1240-02042	10 Working glove, Classic artic	16,90
1240-01015	11 Ninja HPT glove CE-11	3,40
1242-01501	12 Disposable shoes, 25 pairs	14,60



THEME DAY IN HERNING

Meet us in Herning on the 28th of august 2015. Here we will show some of our well-known pelting machines in operation.

Now you got the possibility to see how quick and easy our succesful Easy Off board is to use in the daily operation. Our sales- and service team will be ready for any conversation.



TERMS AND CONDITIONS

The following General sales and delivery terms shall apply to all deliveries from Jasopels A/S (Jasopels) unless otherwise expressly agreed.

1. Drawings, tools, etc.

- 1.1. All drawings and other technical documents which Jasopels may choose to deliver to the Customer shall remain Jasopels' property and shall not be copied, reproduced or otherwise wrongfully used.

2. Designs

- 2.1. Jasopels reserves the right, without prior notification, to make design changes which do not affect the specified function. With respect to products made to the Customer's specifications, the Customer shall guarantee that the products do not infringe third party's intellectual property rights.

3. Foreign goods

- 3.1. Goods which are handed over to Jasopels for processing or any other materials handed over to Jasopels and which belong to the Customer shall be stored at the Customer's expense and risk. Jasopels thus disclaims any liability for loss or damage, and it shall be the Customer's own responsibility to take out insurance.

4. Delivery of mink barns

- 4.1. The Customer shall take out and maintain a contractor's all risks insurance until defects identified on handing-over have been remedied. Jasopels shall be included as insured.
- 4.2. The Customer shall set out the defining main lines and heights (levels), but all other setting out shall be done by Jasopels.
- 4.3. The Customer shall obtain and pay for all required permits for the construction work.
- 4.4. The Customer shall carry the risk for obstructions resulting from subsoil water and soil conditions, contamination etc.
- 4.5. Service pipes and lines for drainage, electricity etc. shall be installed on the construction site by the customer.

5. Offers and acceptance

- 5.1. Unless otherwise specified, offers from Jasopels shall be valid for fourteen (14) days from the date of the offer.
- 5.2. The Customer's acceptance in writing shall be without reservations with respect to the terms specified in the offer and it shall be received by Jasopels before the deadline for acceptance. In the event that the acceptance is inconsistent with the offer, the acceptance shall be deemed to be a new offer. Jasopels shall not be bound by the content of the acceptance unless Jasopels has accepted the new offer in writing and it is evident from the circumstances that Jasopels was aware of the inconsistency.

6. Price

- 6.1. Prices quoted are based on current prices and costs, including material prices, wages and other manufacturing costs, on the date of the offer/order confirmation. Changes in the above prices and costs prior to delivery, including changed or new taxes or duties, shall entitle Jasopels to adjust the offered/confirmed prices accordingly.

7. Delivery

- 7.1. Delivery of goods from Jasopels shall be according to INCOTERMS 2010 EX WORKS Jasopels' address in Bording, Denmark, unless otherwise agreed.
- 7.2. Should Jasopels choose to effect delivery of the goods to the Customer, Jasopels shall be acting as the Customer's agent at the Customer's expense and risk. In such cases, the right to dispose of the goods in transport law shall remain with Jasopels, which will also be entitled to effect delivery freight collect. Delivery in such cases will normally be by road.
- 7.3. The delivery date shall be calculated from the date on which Jasopels receives full information concerning the execution of the order, including all requisite technical details and formalities.
- 7.4. All delivery dates are approximate. A delay can only be deemed to be material after minimum thirty (30) days from the agreed delivery date.

8. Payment

- 8.1. Payment shall be made net cash. In the event of late payment, interest of two (2) per cent per month or part of a month shall be incurred. In the event of default by the Customer on the terms of payment, Jasopels shall be entitled to suspend fulfilment of all remaining orders from the Customer. If the arrears are not paid by a further short deadline fixed by Jasopels, Jasopels shall be entitled to cancel all agreements concluded with the Customer.

9. Retention of title

- 9.1. Jasopels shall retain title in the goods sold until payment is made.

10. Force majeure etc.

- 10.1. In the event of force majeure, including strikes and stoppages, lockouts, fire, flooding, major breakdowns, extensive interruptions to operations, acts of war, import and export bans, seizure, government measures, obstruction by ice, wreck or loss of ship, transport delays, non-delivery or defective delivery from subcontractors, raw material or energy shortages or any other events over which Jasopels has no control, Jasopels shall be entitled to postpone or cancel execution of an order. The Customer shall not be entitled to claim damages or make any other claims against Jasopels in the event of such postponement or cancellation.

11. Complaints and period of limitation

- 11.1. The Customer shall examine the delivered goods immediately upon receipt.
- 11.2. Complaints shall be made in writing and for visible defects and defects which ought to have been discovered when the Customer examined the goods, cf. point 11.1, no later than eight (8) days from the latter of the invoice date and the date of delivery. In other cases, complaints shall be made no later than eight (8) days after the Customer became aware of the circumstance occasioning the complaint. The complaint will otherwise not be considered.
- 11.3. Jasopels' liability for defects, cf. point 12.2 below, shall lapse if Jasopels has not received a complaint from the Customer within one (1) year of delivery of the goods.

12. Liability

- 12.1. In the event of delays attributable to Jasopels, Jasopels shall be liable for the Customer's documented losses due to the delays in accordance with the general rules of Danish law. However, no compensation shall be granted to the Customer for any operating loss, loss of profit or other indirect loss, including loss as a result of the Customer's legal relationship with third parties, and the compensation shall be limited to and shall not exceed the agreed purchase price for the delayed goods.
- 12.2. In the event of defects in the delivery which may be claimed against Jasopels, Jasopels shall be entitled, at its discretion, to remedy the defect or make a replacement delivery as long as this is done within thirty (30) days of the Customer's timely complaint submitted in writing to Jasopels in such a way that it is possible for Jasopels to decide whether to remedy the defect or make a replacement delivery. In the event that the delivery has been carried outside Denmark by the Customer, the Customer shall either transport the delivery to Denmark at its own expense or pay all Jasopels' extra costs of remedying the defect outside Denmark. In the event that Jasopels remedies the defect or makes a replacement delivery, the Customer shall not be entitled to make any other claims against Jasopels as a result of the discovered defects. In the event that Jasopels does not remedy the defect or make a replacement delivery, Jasopels shall pay compensation under the general rules of Danish law. However, no compensation shall be granted to the Customer for any operating loss, loss of profit or other indirect loss, including loss as a result of the Customer's legal relationship with third parties, and the compensation shall be limited to an amount equalling the costs of remedying the defect in the delivery and shall not exceed the agreed purchase price.
- 12.3. Jasopels assumes no liability for product liability which does not follow from the mandatory rules of the Danish Product Liability Act. In particular, Jasopels shall not be liable for operating loss or any other indirect loss. To the extent to which Jasopels incurs product liability to a third party, the Customer shall indemnify Jasopels to the same extent to which Jasopels has limited its liability as above. The Customer shall agree to be sued in the court which hears the product liability case against Jasopels.

13. Venue and choice of law

- 13.1. The agreed venue for any disputes between the parties shall be Herring Court, Haraldsgade 28, 7400 Herring, Denmark. Jasopels shall, however, be entitled, alternatively and at its discretion, to bring a case before the court at the location of the Customer's business premises as an alternative.
- 13.2. Any dispute between the parties shall be settled in accordance with Danish law, apart from the Danish international applicable law rules.

March 2015

Springbrook Fur Farm Limited

1561 Berlett's Road,
St. Agatha, Ontario, N0B 2L0,
Canada
Phone: + 1 519 885 0970
Fax: + 1 519 885 2373
E-mail: springbrk@golden.net

Ipves

Nijkerkerstraat 51
3882 LD Putten, Holland
Phone: + 31 341 769 094
Mob: + 31 06 11406122
Email: info@ipves.nl

MINKOMAT AB

Gottåkravägen 14B
23641 Höllviken, Sweden
Phone: + 46 404 50320
Mob: + 46 706 004 800
E-mail: minkomat@telia.com

Mon ehf

Ásaskóli 801 Selfoss, Iceland
Phone: + 354 865 8776
E-mail: kast@pax.is

Ert Eelmets

Ertel.ee OÜ
Väana 7-18
11612 Tallinn, Estonia
Mob: +37 250 316 42
Fax: +37 253 071 537
E-mail: ert@ertel.ee,
info@ertel.ee
skype: ert.eelmets

Jasopels Sp. z o.o.

ul. Koscielna 26
62-001 Chludowo, Poland
Phone: + 48 61 855 2776
Fax: + 48 61 811 7610
E-mail: js@jasopels.pl

Savi di Pozza Luciano

Contra Pezzini, 2
36062 Conco VI, Italy
Phone: + 39 042 470 0379
Fax: + 39 042 470 0379
Mob: + 39 339 755 7356
E-mail: pozzaluciano@alice.it

Einar Johan Sirevag

Havraskaret 17
4364 Sirevag, Norway
Phone: + 47 909 652 01
Fax: + 47 514 366 36
E-mail: ej-si@online.no

OY Petsmo Products AB

Kruunantti 30
65230 Vaasa
Finland
Phone: +358 207908611
Fax: +358 63234655
E-mail: jens.osterberg@wel-mach.fi

UAB Zverininkystes Iranga

Zalioji str. 10
Kretingale, Kleipėdos r.
LT - 96044 Lithuania
Mob: +37 061 254 601
Fax: +37 046 446 757
E-mail: rrybakas@gmail.com,
iranga.parts@gmail.com

Nikolaos dim. Kafasis

Thoma Tsipou str. 34
50300 Siatista, Kozani, Greece
Phone: +30 694 793 3813
Phone: +30 694 484 1599
E-mail: kafasis@hol.gr

Shanghai Petsmo Trading Co., Ltd.

Puxing Road, Fangxian District
Room 180
Sixth Building No. 8989
Shanghai, China
Att.: John Asmussen
Mob: (+45) 60 62 21 53
(+86) 1368 3646572

Visotenic, S.L.

Pol. ind. "Área 33", zona 10, n'2
36540 Silleda (Pontevedra)
Spain
Phone: (+34) 661.423.635
(+34) 650 342 982
E-mail: visotenic@gmail.com

**JASOPELS INTERNATIONAL ADDRESS**

Fabriksvej 19 · DK-7441 Bording, Denmark
Phone: +45 89 20 61 88
Mobile: +45 509 161 333
Fax: +45 89 20 61 87
Webpage: www.jasopels.com

Monday - Thursday 8.00 - 16.00 CET
Friday 8.00 - 14.00 CET

Bank:

Danske Bank,
Prinsensgade 11,
DK-9000 Aalborg, Denmark
SWIFT: DABADKKK
IBAN: DK7030003201396719

EXPORT SALES +45 98 42 05 66



Poul Bach
CEO Jasopels A/S
+45 30 17 28 04
pab@jasopels.com



Casper Spanner
Manager/Poland
+45 30 17 28 09
cs@jasopels.com



Broniek Gutowski
Sales consultant
+48 502 20 24 04
bg@jasopels.com



Jakub Skikiewicz
Sales consultant
+48 504 11 41 05
js@jasopels.com



Mogens Kristensen
Sales Manager
+45 30 17 28 33
mk@jasopels.com



EXPORT SALES +45 98 42 05 66



Børge Vind
Sales consultant
+45 30 17 28 05
bv@jasopels.com



Brian Skødeberg Nielsen
Service/Sales consultant
+45 30 17 28 06
bsn@jasopels.com



Palle Hansen
Sales consultant
+45 30 17 28 22
ph@jasopels.com



Kasia Matysiak
Office manager
+ 48 509 16 13 33
km@jasopels.com



ADMINISTRATION

+45 89 20 61 88

TECHNICAL SUPERVISORS +45 98 42 05 66



Kim Dahl Nielsen
Service
Technical supervisor
kdn@jasopels.com



Kim Spanner
Service Technical
support
ks@jasopels.com



Danni H. Jensen
Service Technical
support
dhj@jasopels.com



LOGISTICS +45 98 42 05 66



Tommy Christensen
tc@jasopels.com



Bent Andsbjerg Andersen
ba@jasopels.com





Jasopels

www.jasopels.com

info@jasopels.com